as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.57.1.4 In Tennessee, BellSouth will complete construction for collocation arrangements under Ordinary Conditions within a maximum of ninety (90) calendar days from receipt of a BFFO, or as agreed to by the Parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with ALEC or seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide ALEC with the estimated completion date in its Response.
- Joint Planning. Joint planning between BellSouth and ALEC will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a Bona Fide Firm Order. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the Bona Fide Firm Order. The Collocation Space completion time period will be provided to ALEC during joint planning.
- 7.4 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- 7.5 Acceptance Walk Through. ALEC will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying ALEC that the collocation space is ready for occupancy ("Space Ready Date"). In the event that ALEC fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by ALEC. BellSouth will correct any deviations to ALEC's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.6 <u>Use of BellSouth Certified Supplier</u>. ALEC shall select a supplier which has been approved by BellSouth to perform all engineering and installation work ALEC and ALEC's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, ALEC must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide ALEC with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing ALEC's equipment

and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and ALEC upon successful completion of installation. The BellSouth Certified Supplier shall bill ALEC directly for all work performed for ALEC pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying ALEC or any supplier proposed by ALEC. All work performed by or for ALEC shall conform to generally accepted industry guidelines and standards.

- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. ALEC shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service ALEC's Remote Collocation Space. Upon request, BellSouth will provide ALEC with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by ALEC. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.8 Virtual Remote Site Collocation Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, ALEC may relocate its virtual Remote Site collocation arrangements to physical Remote Site collocation arrangements and pay the appropriate fees for physical Remote Site collocation and for the rearrangement or reconfiguration of services terminated in the virtual Remote Site collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Site collocation may become available at the location requested by ALEC, such information will be provided to ALEC in BellSouth's written denial of physical Remote Site collocation. To the extent that (i) physical Remote Collocation Space becomes available to ALEC within one hundred eighty 180 calendar days of BellSouth's written denial of ALEC's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) ALEC was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty 180 calendar days, then ALEC may relocate its virtual Remote Site collocation arrangement to a physical Remote Site collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Site collocation. ALEC must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation with ninety (90) calendar days.

- Virtual to Physical Conversion (In Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. The application fee for the conversion from virtual to in-place, physical collocation is as set forth in Exhibit C. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical conversions in place within thirty (30) calendar days.
 7/15/02 BellSouth proposal.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, ALEC cancels its order for the Remote Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if ALEC cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill ALEC for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses</u>. ALEC, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 Recurring Charges. Recurring charges begin on the Space Ready Date, or on the date ALEC accepts the space, whichever is first.
- Application Fee. BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 2. Payment of said Application Fee will be due as dictated by ALEC's current billing cycle and is non-refundable.

- 8.2.1 In Tennessee the applicable Application Fee is the Planning Fee for both Initial Applications and Subsequent Applications placed by ALEC. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power ALEC's equipment. ALEC shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.
- 8.4 <u>Power</u>. BellSouth shall make available –48 Volt (-48V) DC power for ALEC's Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at ALEC's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for ALEC's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis.
- 8.4.1Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by ALEC's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. ALEC's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit C. AC power voltage and phase ratings shall be determined on a per location basis. At ALEC's option, ALEC may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5 <u>Security Escort</u>. A security escort will be required whenever ALEC or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit C beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and ALEC shall pay for such half-hour charges in the event ALEC fails to show up.
- 8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. <u>Insurance</u>

9.1 ALEC shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies

licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.

- 9.2 ALEC shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of ALEC's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 ALEC may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days notice to ALEC to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by ALEC shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all ALEC's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If ALEC fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from ALEC.
- 9.5 ALEC shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. ALEC shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from ALEC's insurance company. ALEC shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc.

Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 ALEC must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If ALEC's net worth exceeds five hundred million dollars (\$500,000,000), ALEC may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. ALEC shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to ALEC in the event that self-insurance status is not granted to ALEC. If BellSouth approves ALEC for self-insurance, ALEC shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of ALEC's corporate officers. The ability to self-insure shall continue so long as ALEC meets all of the requirements of this Section. If the ALEC subsequently no longer satisfies this Section, ALEC is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to ALEC to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or ALEC), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

BellSouth may conduct an inspection of ALEC's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between ALEC's equipment and equipment of BellSouth. BellSouth may conduct an inspection if ALEC adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide ALEC with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. <u>Security and Safety Requirements</u>

- 12.1 Unless otherwise specified, ALEC will be required, at its own expense, to conduct a statewide investigation of criminal history records for each ALEC employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the ALEC employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. ALEC shall not be required to perform this investigation if an affiliated company of ALEC has performed an investigation of the ALEC employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if ALEC has performed a preemployment statewide investigation of criminal history records of the ALEC employee for the states/counties where the ALEC employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 ALEC will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- ALEC shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and ALEC's name. BellSouth reserves the right to remove from its Remote Site Location any employee of ALEC not possessing identification issued by ALEC or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. ALEC shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. ALEC shall be solely responsible for ensuring that any Guest of ALEC is in compliance with all subsections of this Section 12.
- 12.4 ALEC shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. ALEC shall not assign to the BellSouth

Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any ALEC personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that ALEC chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, ALEC may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

- 12.4.1 ALEC shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 ALEC shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former contractor of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each ALEC employee or agent hired by ALEC within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, ALEC shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, ALEC will disclose the nature of the convictions to BellSouth at that time. In the alternative, ALEC may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- For all other ALEC employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, ALEC shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, ALEC shall promptly remove from BellSouth's Remote Site Location any employee of ALEC BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of ALEC is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.

- 12.7 Notification to BellSouth. BellSouth reserves the right to interview ALEC's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to ALEC's Security contact of such interview. ALEC and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving employees, agents, or contractors. Additionally, BellSouth reserves the right to bill ALEC for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that ALEC's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill ALEC for BellSouth property, which is stolen or damaged where an investigation determines the culpability of ALEC's employees, agents, or contractors and where ALEC agrees, in good faith, with the results of such investigation. ALEC shall notify BellSouth in writing immediately in the event that the ALEC discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. ALEC shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Remote Collocation Space

In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for ALEC's permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by

giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for ALEC's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to ALEC, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. ALEC may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If ALEC's acceleration of the project increases the cost of the project, then those additional charges will be incurred by ALEC. Where allowed and where practical, ALEC may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, ALEC shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for ALEC's permitted use, until such Remote Collocation Space is fully repaired and restored and ALEC's equipment installed therein (but in no event later than thirty (30) business days after the Remote Collocation Space is fully repaired and restored). Where ALEC has placed a Remote Site Adjacent Arrangement pursuant to Section 3, ALEC shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and ALEC shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

15. <u>Nonexclusivity</u>

15.1 ALEC understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and ALEC agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and ALEC shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. ALEC should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for ALEC to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. ALEC will require its contractors, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by ALEC when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the ALEC space with proper notification. BellSouth reserves the right to stop any ALEC work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by ALEC are owned by ALEC. ALEC will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by ALEC or different hazardous materials used by ALEC at BellSouth Facility. ALEC must demonstrate

adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by ALEC to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and ALEC will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and ALEC will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, ALEC must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and ALEC shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, ALEC agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. ALEC further agrees to cooperate with BellSouth to ensure that ALEC's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by ALEC, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material	Compliance with all applicable	• Std T&C 450

	T	Page 33
or other regulated material (e.g., batteries, fluorescent	local, state, & federal laws and regulations	• Fact Sheet Series 17000
tubes, solvents & cleaning materials)	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental Vendor List (Contact ATTC Management)
Emergency response	Hazmat/waste release/spill firesafety emergency	 Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Remote Site	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
Location (e.g., disposition of hazardous material/waste; maintenance of	Performance of services in accordance with BST's environmental M&Ps	 Std T&C 450-B (Contact ATTC for copy of appropriate E/S M&Ps.)
storage tanks)	Insurance	• Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450Fact Sheet Series 17000
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental Vendor List (Contact ATTC Management)
Maintenance/operations work which may produce a waste	Compliance with all application local, state, & federal laws and regulations	• Std T&C 450
Other maintenance work	Protection of BST employees and equipment	 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	P&SM Manager - Procurement
	All Hazardous Material and Waste	• Fact Sheet Series 17000

		1 age 3+
	Asbestos notification and protection of employees and equipment	 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	 Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental Vendor List (Contact ATTC Management)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

ATTC - Account Team Collocation Coordinator

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

 $\underline{DEC/LDEC} \text{ - Department Environmental Coordinator/Local Department Environmental Coordinator}$

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

THREE-MONTH CLEC FORECAST

STATE	Remote Site/Cit y	CAGED Sq. Ft.	CAGE- LESS # Bays	FRAME TERMINATIONS	CLEC Provided BDFB Amps Load	BST Provided BDFB Amps Load	Heat Dissipation BTU/Hour	Entrance Facilities # sheaths & # fibers	 NOTES

Notes: Forecast information will be used for no other purpose than collocation planning.

COLLOCAT	ION - Alabama												Attach	ment: 4	Fyhi	bit: B
SOLLOGAI	1011 / Labama										Svc Order	Svc Order	Incremental		Incremental	
											Submitted			Charge -	Charge -	Charge -
		lutani									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC 1St	DISC Add I
						B	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,879.48	1,879.48	0.51	0.51						
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,566.60	1,566.60	0.51	0.51						
	Physical Collocation - Cageless - Application Fee			CLO	PE1CH		1,205.26	1,205.26	0.51	0.51						
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.15									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		600.71	600.71								1
	Physical Collocation - Space Preparation - C.O. Modification per	1	1		1											
	square ft.	ļ	1	CLO	PE1SK	1.96										
	Physical Collocation - Space Preparation - Common Systems	1	1		1						1	<u> </u>	<u> </u>			, 7
	Modification per square ft Cageless	1	1	CLO	PE1SL	2.62										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per Cage			CLO	PE1SM	88.86										
	Physical Collocation - Cable Installation			CLO	PE1BD		859.71	859.71	22.49	22.49						
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	3.22										
	Physical Collocation - Cable Support Structure			CLO	PE1PM	17.11										
	Physical Collocation - Cageless - Cable Support Structure			CLO	PE1CJ	14.97										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	7.83										
	Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		399.51									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	4.91										
																,
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	9.84										
																,
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	14.74										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	34.06										
																1
				UEANL,UEA,UDN,U												1
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,			40.00									1
—	Physical Collocation - 2-Wire Cross-Connects		<u> </u>	UNLDX, UNCNX	PE1P2	0.03	12.30	11.80	6.03	5.44						
				CLO, UAL, UDL,												1
				UDN, UEA, UHL,												1
	District College Control			UNCVX, UNCDX,	DE4D4	0.05	40.00	44.07	0.00	5.70						1
	Physical Collocation - 4-Wire Cross-Connects		1	UCL	PE1P4	0.05	12.39	11.87	6.39	5.73						
				CLO,UEANL,UEQ,W												1
				DS1L,WDS1S, USL,												1
				U1TD1, UXTD1,												1
				UNC1X, ULDD1,												1
	Dhusias Callacation BC4 Cores Coresate			USLEL, UNLD1, UDL	DE4D4	4 44	22.03	45.00	C 40	F 70						
	Physical Collocation - DS1 Cross-Connects				PE1P1	1.11	22.03	15.93	6.40	5.79						
				CLO, UE3,U1TD3, UXTD3, UXTS1,												
																,
				UNC3X, UNCSX, ULDD3,												
		1	1	ULDD3, U1TS1,ULDS1,							1		Ì			
	Physical Collocation - DS3 Cross-Connects	1	1	UNLD3, UDL	PE1P3	14.16	20.89	15.20	7.38	5.92	1		Ì			
 	i nysicai Conocation - Dos Cross-Connects	1	1	CLO, ULDO3,	LIFS	14.10	20.09	15.20	1.30	5.92		1				
		1	1	ULD12, ULD48,							1		Ì			
		1	1	U1TO3, U1T12,							1		Ì			
			1	U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect	1	1	UDL12, UDF	PE1F2	2.81	20.89	15.20	7.38	5.92	1		Ì			i
	1 Hydrodi Gongodilori - 2-1 Iber Gross-Goriffect	1	+	CLO, ULDO3,	1 - 11 -	2.01	20.09	15.20	7.30	5.52			 			
		1	1	ULD12, ULD48,							1		1			
			1	U1TO3, U1T12,												. !
		1	1	U1T48, UDLO3,							1		Ì			
	Physical Collocation - Cageless - 2 Fiber Cross Connect	1	1	UDL12, UDF	PE1CK	2.84	20.89	15.20	7.38	5.92	1		Ì			
	p, s.s.s. sometation sagaross 2 i iboi oross connect	1		1, 551	. =	2.04	20.00	10.20	7.50	0.02		ı	1			

COLLOCAT	TON - Alabama												Attach	ment: 4	Exhi	hit: B
COLLOCA	ION - Alabama	1				1					Svc Order	Svc Order	Incremental			
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	ьсэ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF	PE1F4	4.99	25.55	19.86	9.71	8.25						
-	1 Hysical Collocation - 4-1 iber Cross-Connect			CLO, ULDO3,	1 - 11 -	4.33	20.00	13.00	5.71	0.23	1					
				ULD12, ULD48,												
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - Cageless - 4-Fiber Cross-Connect			UDL12, UDF	PE1CL	5.69	25.55	19.86	9.71	8.25]	1]			
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	156.33										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	l		CLO	PE1CW	15.34							1			
	Physical Collocation - Security Access System - Security System															
	per Central Office	l		CLO	PE1AX	45.70					Ì	I	1			
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card			CLO	PE1A1	0.05	27.79	27.79								
-	Card Activation, per Card		-	OLO	LIAI	0.00	21.13	21.13			1					
	Physical Collocation-Security Access System-Administrative															
				CLO	DE444		7.70	7.70								
	Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.79	7.79								
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		22.78	22.78								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.10	13.10								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		13.10	13.10								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,075.17	1,075.17								
				UEANL,UEA,UDN,U			.,	.,								
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
					DE 4 DE	0.00										
	per cross-connect			UNCNX	PE1PE	0.08										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX	PE1PF	0.17										
		l		UEANL,UEA,UDN,U	1							l	1			
		l		DC,UAL,UHL,UCL,U]]					Ì	I	1			
		l		EQ,CLO,WDS1L,W		1					1					
		l		DS1S, USL, U1TD1,]]					Ì	I	1			
		l		UXTD1, UNC1X,		1					1					
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,	l		ULDD1, USLEL,		1					1					
	per cross-connect	l		UNLD1	PE1PG	1.20				Ì		İ				
	per cross-connect	l		UEANL,UEA,UDN,U	LIFG	1.20			1	1	1	 				
		l		DC.UAL.UHL.UCL.U		1					1					
		l				1					1					
				EQ,CLO,UE3,												
				U1TD3, UXTD3,												
				UXTS1, UNC3X,												
				UNCSX, ULDD3,												
		l		U1TS1, ULDS1,	1					Ì		İ				
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,	l		UNLD3, UDL,		1					1					
	per cross-connect	l		UDLSX	PE1PH	10.67					1					
				UEANL,UEA,UDN,U	i	1				İ	İ	İ	İ			
		l		DC,UAL,UHL,UCL,U	1					Ì		İ				
		l		EQ,CLO, ULDO3,	1					Ì		İ				
		l		ULD12, ULD48,]]					Ì	I	1			
		l		U1TO3, U1T12,		1					1					
	DOT D. Assessment of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of the College of	l]]					Ì	I	1			
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,	l		U1T48, UDLO3,	DE4D2					Ì		İ				
	per cross-connect			UDL12, UDF	PE1B2	36.40						l				

COLLOCA	FION - Alabama												Attach	ment: 4	Exhi	bit: B
SCI													Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
04750051	DATE ELEMENTO	Interi	-	200				DATES (\$)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l	088	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEANL,UEA,UDN,U			11131	Addi	11100	Addi	COME	COMPAN	COMPAR	COMPAN	COMPAN	COMPAN
				DC,UAL,UHL,UCL,U												
				EQ,CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			U1T48, UDLO3,												
	per cross-connect			UDL12, UDF	PE1B4	49.09										
	Physical Collocation - Request Resend of CFA Information, per			05212, 051		10.00										
	CLLI			CLO	PE1C9		77.56									
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		759.29	488.11	133.00	133.00						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per						. 00.20	100.71	.00.00	.00.00			1	1		
	cable record			CLO	PE1CD		326.92	326.92	189.12	189.12			1	1		
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			-				2					1	1		
	each 100 pair			CLO	PE1CO		4.81	4.81	5.90	5.90						
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		2.25	2.25	2.76	2.76			1	1		
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7.88	7.88	9.66	9.66			İ	1		
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99								0.00							
	fiber records			CLO	PE1CB		84.49	84.49	77.13	77.13						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.93	10.73								
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			/												
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.05	13.86								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.17	16.98								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit			0.0	DE4DD	00.00										
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BP	23.00										
-	Reconfigured			CLO	PETBP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PEIDS	33.00										
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO	FLIBL	37.00										
	prs or fraction thereof			CLO	PE1B7	592.00										
 	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable	-	1	010	1 2 10/	332.00							 	 		
1 1	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0011										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			,	0	3.0011			1		1		 	 		
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0016							1	1		
	Physical Collocation - Co-Carrier Cross Connects - Application			-,,		3.00.0							1	1		
	Fee, per application			CLO	PE1DT		584.22						1	1		
PHYSICAL C	DLLOCATION			-	<u> </u>								İ	1		
i i	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-														l	
	Wire Analog - Res	1	1	UEPSR	PE1R2	0.03	12.30	11.80	6.03	5.44	1	15.66	Ì	Ì		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
1 1	Wire Line Side PBX Trunk - Bus	1	1	UEPSP	PE1R2	0.03	12.30	11.80	6.03	5.44	1	15.66	Ì	Ì		
l l	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
L I	Wire Voice Grade PBX Trunk - Res		<u></u>	UEPSE	PE1R2	0.03	12.30	11.80	6.03	5.44	<u> </u>	15.66	<u> </u>	<u> </u>	<u> </u>	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-						_									
	Wire Analog - Bus			UEPSB	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66	<u> </u>	<u> </u>	<u></u>	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPSX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				1						1	<u> </u>	<u> </u>]		
	Wire ISDN			UEPTX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66		ļ		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-						40					4.5.5	1	1		
40.140-11-	Wire ISDN DS1			UEPEX	PE1R4	0.05	12.39	11.87	6.39	5.73		15.66				
ADJACENT C	OLLOCATION		l		l									<u> </u>	l	L

SOLLOCATI	ON - Alabama												Attach	ment: 4	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually			Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.14										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.41										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.02	12.30	11.80	6.03	5.44						
	•			UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.04	12.39	11.87	6.39	5.73						
	Adjacent Collocation - DS1 Cross-Connects			USL.CLOAC	PE1P1	1.03	22.03	15.93	6.40	5.79						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	13.95	20.89	15.20	7.38	5.92						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.36	20.89	15.20	7.38	5.92		İ				
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.52	25.55	19.86	9.71	8.25						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1.576.69		0.51							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate			020710	. 2.02		1,070.00		0.01							
	per AC Breaker Amp			CLOAC	PE1FB	4.91										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			020710	1 2 2						1					
	per AC Breaker Amp			CLOAC	PE1FD	9.84										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			020710	1	0.01					1					
	per AC Breaker Amp			CLOAC	PE1FE	14.74										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate			OLONO	1 - 11 -	14.74					1					
	per AC Breaker Amp			CLOAC	PE1FG	34.06										
	Adjacent Collocation - DC power provisioning			CLOAC	12110		ICB									
	Note: ICB means Individual Case Basis			CLONO			IOD									
	LOCATION IN THE REMOTE SITE															-
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		307.70	307.70	168.22	168.22						-
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42	307.70	307.70	100.22	100.22						
\longrightarrow	Cabinet Space in the Remote Site per Bay/ Rack	<u> </u>		CLORS	PEIRD	201.42										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.10	13.10								
	Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability			CLORS	PEIKD		13.10	13.10								
	Report per Premises Requested			CLORS	PE1SR		115.87	115.87								
	Physical Collocation in the Remote Site - Remote Site CLLI	-		CLORS	PETSR		115.87	115.87								
				01.000	DEADE		07.50	07.50								
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.56	37.56								.
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38									.
PHYSICAL COL	LOCATION IN THE REMOTE SITE - ADJACENT															.
	Demanda Cita Adianand Callegation AC Deven	Ι.		CLODE	DE4DC	0.07									1	1
-+-	Remote Site-Adjacent Collocation - AC Power, per breaker amp	- 1		CLORS	PE1RS	6.27									1	├
	Beneda O'te All'escal Callegaille - Bed Fatate	Ι.		01.000	DEADT	0.401						1				1
	Remote Site-Adjacent Collocation - Real Estate, per square foot	<u> </u>		CLORS	PE1RT	0.134	755.00	755.00							1	├
	Remote Site-Adjacent Collocation-Application Fee	<u> </u>		CLORS	PE1RU		755.62	755.62			.					
NOTE:	If Security Escort and/or Add'I Engineering Fees become nec			ote site collocation e-up as set forth in				S.								1

COLLOCAT	ΓΙΟΝ - Florida												Attach	ment: 4	Exhi	bit: B
- SEESSKI											Svc Order	Svc Order	Incremental		Incremental	
			1								Submitted	Submitted		Charge -	Charge -	Charge -
		1		ĺ							Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CATEGORI	NATE ELEMENTS	m	20116	B00	0000			IXATEO (Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-	-				Nonrec		Managarinia	- Di			000	Detec(f)		
		<u> </u>	<u> </u>			Rec			Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		2,597.00		1.01							
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		2,236.00		1.01							
	Physical Collocation Administrative Only - Application Fee	ı		CLO	PE1BL		742.00									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		288.93									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.38										
				CLO	LIOK	2.30										
	Physical Collocation - Space Preparation - Common Systems			CLO	DE1014	92.55										
\vdash	Modification per Cage	1	1	CLO	PE1SM	92.55	4 750 00		45.10		1	1	-	1	1	1
\vdash	Physical Collocation - Cable Installation per Cable	1	 	CLO	PE1BD		1,750.00		45.16		ļ	ļ				
\vdash	Physical Collocation - Floor Space per Sq. Ft.		<u> </u>	CLO	PE1PJ	7.86			ļ					ļ	1	ļ
	Physical Collocation - Cable Support Structure			CLO	PE1PM	18.96										
	Physical Collocation - Power, per Fused Amp			CLO	PE1PL	7.80										
	Physical Collocation - Power Reduction, Application Fee	- 1		CLO	PE1PR		399.43									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.38										
	,															
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.77										
	Friysical Collocation - 240V, Single Friase Standby Fower Rate			CLO	FLIID	10.77										
	Dhusiasi Callagation 100\/ Three Dhana Ctandhu Dawa Data			CLO	DE4EE	40.45										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.15										
	L															
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.30										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0276	8.22	7.22	5.74	4.58						
				CLO, UAL, UDL,					***							
				UDN, UEA, UHL,												
				UNCVX, UNCDX,												
	District College Control				DE4D4	0.0550	0.40	7.00	5.00	4.00						
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0552	8.42	7.36	5.90	4.66						
				CLO,UEANL,UEQ,W												
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
			1	USLEL, UNLD1,							l	l		I		1
	Physical Collocation - DS1 Cross-Connects		1	UDL	PE1P1	1.32	27.77	15.52	5.93	4.77	l	l		I		I
	7	1	1	CLO, UE3,U1TD3,					2.00		1	1		1	1	1
		1	1	UXTD3, UXTS1,							I	I]	1	1	
		1	1	UNC3X, UNCSX,							I	I]	1	1	
		1	1	ULDD3,							I	I]	1	1	
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects		1	UNLD3, UDL	PE1P3	16.81	25.48	14.05	7.77	5.01						
			1	CLO, ULDO3,					1	1]			
		1	1	ULD12, ULD48,							I	I]	1	1	
		1	1	U1TO3, U1T12,							I	I]	1	1	
				U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect	1	1	UDL12, UDF	PE1F2	3.34	41.94	30.52	13.91	11.16	I	I]	1	1	
 	Tripologic Composition 2 Fibor Oross-Commod	 	 	CLO, ULDO3,	11 -	3.54	71.54	30.32	15.31	11.10	 	 		t	1	t
				ULD12, ULD48,												
		1	1								I	I]	1	1	
			1	U1TO3, U1T12,							l	l		I		I
			1	U1T48, UDLO3,							l	l		I		I
	Physical Collocation - 4-Fiber Cross-Connect		<u> </u>	UDL12, UDF	PE1F4	5.92	51.30	39.87	18.29	15.54				ļ	1	ļ
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	189.45										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	\perp	L	CLO	PE1CW	18.58										
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PE1AY	0.0105										

COLLOCAT	ION - Florida												Attach	ment: 4	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card			CLO	PE1A1	0.0577	55.80									
	Physical Collocation-Security Access System-Administrative			01.0	DE444		45.05									
—	Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	1		CLO	PE1AA		15.65									
	Stolen Card, per Card			CLO	PE1AR		45.75									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.30							İ		
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		26.30									
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,159.00									
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
	per cross-connect	1		UNCNX	PE1PE	0.00										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
h	per cross-connect			UNCVX, UNCDX	PE1PF	0.00										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1,												
				UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	per cross-connect	I		UNLD1	PE1PG	0.00										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,												
				U1TD3, UXTD3,												
				UXTS1, UNC3X,												
				UNCSX, ULDD3,												
				U1TS1, ULDS1,												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,	١.		UNLD3, UDL,	55.50											
\vdash	per cross-connect			UDLSX UEANL,UEA,UDN,U	PE1PH	0.00			 	-	 			 		
				DC,UAL,UHL,UCL,U												
				EQ,CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,										1		
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,	Ι.		U1T48, UDLO3,	DE 100									1		
\vdash	per cross-connect			UDL12, UDF	PE1B2	0.00				-						
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U												
				EQ,CLO, ULDO3,												
		1		ULD12, ULD48,									1		1	
				U1TO3, U1T12,												
1 1	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			U1T48, UDLO3,												
\vdash	per cross-connect			UDL12, UDF	PE1B4	0.00										
1 1	Physical Collocation - Request Resend of CFA Information, per CLLI	Ι.		CLO	PE1C9		77.54							1		
\vdash	Nonrecurring Collocation Cable Records - per request	 		CLO	PE1C9 PE1CR		77.54 1.525.00	980.22	267.08	-	 			 		
 	Nonrecurring Collocation Cable Records - per request Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			010	LION		1,020.00	300.22	201.00		 			 		
	cable record			CLO	PE1CD		656.50	656.50	379.78							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per															
	each 100 pair	1		CLO	PE1CO		9.66	9.66	11.84	11.84						
\vdash	Nonrecurring Collocation Cable Records - DS1, per T1TIE	ļ		CLO	PE1C1		4.52	4.52	5.54	5.54				ļ		
	Nonrecurring Collocation Cable Records - DS3, per T3TIE	<u> </u>	<u> </u>	CLO	PE1C3		15.82	15.82	19.40	19.40	L	L	l		<u> </u>	

COLLOCAT	ION - Florida									Attach	ment: 4	Exhi	bit: B			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		169.67	169.67	154.89	154.89						
	liber records			CLO	PETCB		169.67	169.67	154.89	154.89						
	Physical Collocation - Security Escort - Basic, Per Quarter Hour			CLO	PE1BQ		10.89									
	Physical Collocation - Security Escort - Overtime, Per Quarter															
	Hour			CLO	PE10Q		13.64									
	Physical Collocation - Security Escort - Premium, Per Quarter															
	Hour			CLO	PE1PQ		16.40	04.54								
-	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.99	21.54								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.27	27.82								
	, Sonocator Cooking Edoort Cytoramo, por Hair Hour			,	1. 2.01		77.21	21.02								
	Physical Collocation - Security Escort - Premium, per Half Hour	L	L	CLO,CLORS	PE1PT		54.55	34.10	<u> </u>		<u> </u>			<u> </u>	<u> </u>	<u> </u>
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0	I		CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1 V to P Conversion, Per Customer request-DS3	- !		CLO CLO	PE1B1	52.00 52.00										
	V to P Conversion, Per Customer request-DS3 V to P Conversion, Per Customer Request per VG Circuit			CLO	PE1B3	52.00										
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit	<u> </u>		020		20.00										
	Reconfigured	1		CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit															
	Reconfigured	I		CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit	١.		01.0	DEADE	07.00										
-	Reconfigured V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO	PE1BE	37.00										
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable	·		020		002.00										
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0014										
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT		584.11									
PHYSICAL CO				CLO	PEIDI		304.11									
THIOICAL CC	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.0276	8.22	7.22				11.90				
İ	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				55.50			=								
-	Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE1R2	0.0276	8.22	7.22				11.90				-
	Wire Analog - Bus			UEPSB	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OD	I L IIVE	0.0270	0.22	7.22				11.00				
	Wire ISDN			UEPSX	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-							-		-						
igwdow	Wire ISDN		<u> </u>	UEPTX	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	PE1R4	0.0552	8.42	7.00				44.00				
ADJACENT C			 	UEPEX	PE IK4	0.0552	8.42	7.36				11.90		 	 	
ADSAGENTO	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1635										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.11										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0213	24.69	23.69	11.77	10.62						
				UEA,UHL,UDL,UCL,												
 	Adjacent Collocation - 4-Wire Cross-Connects		1	CLOAC	PE1P4	0.0426	24.88	23.83	12.04	10.80						
\vdash	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects			USL,CLOAC CLOAC	PE1P1 PE1P3	1.22 16.56	44.24 41.94	31.98 30.52	12.07 13.91	10.91 11.15				-	-	-
 	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1P3 PE1F2	2.81	41.94	30.52	13.91	11.15				 		+
\vdash	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F4	5.36	51.30	39.87	18.29	15.54	 			†	†	†
	Adjacent Collocation - Application Fee		1	CLOAC	PE1JB	2.20	2,785.00		1.01		t			t	 	t

COLLOCAT	ION - Florida												Attach			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.38										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.77										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.15										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.30										
	Adjacent Collocation - Cable Support Structure per Entrance Cable	1		CLOAC	PE1PM	18.96										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.91		328.81							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.49										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.30									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.69									
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		75.41									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.51									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT					i i			i i							
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary 1	for rem	ote site collocation	, the Parties v	vill negotiate ap	propriate rate	S.								
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Terr	ns and Condition	ns.		1		1				İ	

COLLOCAT	ION - Georgia												Attach	ment: 4	Exhi	bit: B
		Interi		DC2	11055			DATES (A)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1122	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	I LOCATION															
THIOIDAL OC	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,850.00									
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,130.00	3,130.00								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.83	5,100100								
	Physical Collocation - Space Preparation Fee Per Square Ft.			CLO	PE1SS		100.00	100.00								
	Physical Collocation - Space Preparation - Firm Order															
	Processing	1		CLO	PE1SJ		1,187.00									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.	- 1		CLO	PE1SK	2.02										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless	I		CLO	PE1SL	2.80										
	Physical Collocation - Space Preparation - Common Systems									<u> </u>						
	Modification per Cage	I		CLO	PE1SM	95.23										
	Physical Collocation - Cable Installation			CLO	PE1BD		2,750.00	2,750.00								
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.50										
	Physical Collocation - Floor Space - Zone B per Sq. Ft.			CLO	PE1PK	6.75										
	Physical Collocation - Cable Support Structure			CLO	PE1PM	13.35										
	Physical Collocation - Power -48V DC Power, per Fused Amp	I		CLO	PE1PL	8.06										
	Physical Collocation - Power Reduction, Application Fee	I		CLO	PE1PR		398.80									
	Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5.52										
	Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	11.05										
	Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16.58										
	Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38.27										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.30	12.60	12.60								
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.50	12.60	12.60								
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects	<u> </u>		UDL	PE1P1	8.00	155.00	27.00								
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3,												
	Dhurian Callagation DC2 Const. Co	1		U1TS1,ULDS1,	DE4D0	70.00	455.00	07.00				1				
 	Physical Collocation - DS3 Cross-Connects	1		UNLD3, UDL CLO, ULDO3,	PE1P3	72.00	155.00	27.00	 				-			
				ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect	<u> </u>		UDL12, UDF	PE1F2	2.86	52.14	38.72								
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect	1		UDL12, UDF	PE1F4	5.08	64.74	51.31				<u> </u>				

CATEGORY RATE ELEMENTS IIII Zone BCS USOC RATES (\$) per LSR per LSR Order vs. Order vs. Order vs.	COLLOCAT	ION - Georgia													ment: 4		bit: B
Project Colocolon - Website Wise Cage - FEET TO SS F. F. F. F. F. F. F. F. F. F. F. F. F.				Zone	BCS	USOC						Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic-	
Physical Colocation - Weeking Wite Cags - Peril 103 Sci. Pt. 1.00 PF 1900 151 72 Pres April 103 Colocation - Weeking Wite Cags - April 103 Sci. Pt. 1.00 PF 1900 151 72 Pres April 103 Colocation - Weeking Wite Cags - April 103 Sci. Pt. 1.00 PF 1900 151 72 Pres April 103 Colocation - Security System Rev Control Office Per 1.00 PF 1900 151 72 Pres April 103 Colocation - Security System Rev Control Office Per 1.00 PF 1900 151 72 Pres April 103 Colocation - Security System Rev Control Office Per 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900 1.00 PF 1900							Poc		curring								
Prigratic Citiocation - Vested Viron Cage - Act of 105 K Pt								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Pigratical Collisions - Security Systems Per Control Office Per Co.O. PE LVV 0.0172																	
Assignated St. FT. Co.O. PETAY Co.O.			I		CLO	PE1CW	15.82										
Gird Activation per Card		Assignable Sq. Ft.			CLO	PE1AY	0.0172										
Cut Described process Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut Described Cut		Card Activation, per Card			CLO	PE1A1	0.0607	46.20	46.20								
Change, existing Access Card, per Request, per State, per Card CLO PETAA 15.40					CLO	PE1A4		8.72	8.72								
Stolen Card, per Card		Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.40	15.40								
Physical Collocation - Security Access - Key, Replane Lost of State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State					CLO	PE1AR		45.02	45.02								
Physical Collocation - Security Access - Key, Replace Lost of State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State		Physical Collocation - Security Access - Initial Key, per Key				PE1AK			26.16	<u> </u>				İ	<u> </u>		
UEANL_UEA_UNIU DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_UC_U EG.GO.UDL DC_ULL_UHL_ULL_ULL DC_ULL_ULL_ULL DC_ULL_ULL DC_ULL_ULL_ULL DC_ULL_UL		Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AL		26.16	26.16								
DC,UAL,UHL,UCLU EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL EQ.CLO,UDL		Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		2,148.00	2,148.00								
POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect POT Bay Arrangements prior to 6/1/99 - 4					DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.40										
DC,UAL_UHLUCL_U EQ.LO,WDS1LW DS1S, USL, U1TD1, UNTO1, UNCIX, ULDD1, USLEI, UND1 PE1PG 1.20 DEMILUFA UDN1, UNCIX, ULDD1, USLEI, UNLD1 PE1PG 1.20 DEMILUFA UDN1, UNCIX, ULDD1, USLEI, UNLD1 PE1PG 1.20 DEMILUFA UDN1, USLEI, UNLD1 DC,UAL_UHLUCL_U EQ.CLO,UE3, U1TD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UNCIX, UND3X, UND3X, ULD3, ULD3, UND3X DEMILUFA UDN1, UDLSX DEMILUFA UDN1, UDLSX DEMILUFA UDN1, UDLSX DEMILUFA UDN1, UDLSX DEMILUFA UDN1, UDLSX DEMILUFA UDN1, UDLSX DEMILUFA UDN1, UDLSX DEMILUFA UDN1, UDLSX DEMILUFA UDN1, UDLSX DEMILUFA UDN1, UDLSX UTTO3, UTT12, ULD48, UTTO3, UTT12, ULD48, UTTO3, UTT12, ULD48, UTTO3, UTT12, UDD1, UDLSX UDL0, ULD48, UTTO3, UTT12, UDD1, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UDL0, UD					DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX		1.20										
UEANLUEAUDNU DC (JAL, UHL, UCL, U EQ. CLO , UE3 UT31, ULDS1, UNG3X, UNG5X, ULDS1, UNG3X, UNG5X, ULDS1, UNLDS1, UNLDS1, UNLDS1, UNLDS1, UNLDS1, UNLDS1, UNLDS2, UNLDS2, UNLDS2, UNLDS2, UNLDS2, UNLDS3, UNLDS2, UNLDS3, UNLDS3, UNLDS3, UNLDS3, UNLDS3, UNLDS4, UNLDS4, UNLDS4, UNLDS4, UNLDS4, UNLDS4, UNLDS4, UNLDS4, UNLDS4, UNLDS4, UNLDS4, UNLDS4, UNLDS4, UNLDS4, UNLDS4, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5, UNLDS5,					DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL,	PF1PG	1.20										
UEANL, UEA, UDN, UDC, UAL, UHL, UCL, UEQ, CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1D48, U1T03, U1T12, UDF PE1B2 38.79 UEANL, UEA, UDN, UDL12, UDF PE1B2 38.79 UEANL, UEA, UDN, UDC, UAL, UHL, UCL, UEQ, CLO, ULD03, ULD12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, ULD12, ULD48, U1T03, ULD12, ULD48, U1T03, ULD12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T03, U1T12, ULD48, U1T03, U1T03, U1T12, ULD48, U1T03, U1T03, U1T12, ULD48, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03, U1T03,		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL,												
DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, ULT12, ULT148, ULT1703, U1T12, ULT1703, U1T12, UT1703, U1T12, UT1703, U1T12, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT1703, UT		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
Physical Collocation - Request Resend of CFA Information, per		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
		Physical Collocation - Request Resend of CFA Information, per					02.01			1			1				
Nonrecurring Collocation Cable Records - per request CLO PE1CR 1,706.00]	CLLI	<u></u>				<u> </u>			<u> </u>		<u></u>	<u> </u>	<u> </u>			<u> </u>

COLLOCA	ΓΙΟΝ - Georgia													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
-							News		Nonrecurring	. Dianamant			000	Detec(f)		<u> </u>
					-	Rec	Nonrec First		First		COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per				+		FIRST	Add'l	FIRST	Add'l	SOMEC	SOWAN	SUMAN	SOWAN	SUMAN	SOWAN
	cable record			CLO	PE1CD		922.38									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	FLICD		922.30									
	each 100 pair			CLO	PE1CO		18.00	18.00								
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.43	8.43								
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.49	29.49								
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		278.61	278.61								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		41.00	25.00								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		48.00	30.00								
	Blacked Colleges and Court Found Broad and William	l	1	01 0 01 000	DEADT		FF	05.00								
	Physical Collocation - Security Escort - Premium, per Half Hour V to P Conversion, Per Customer Request-Voice Grade	 	<u> </u>	CLO,CLORS CLO	PE1PT PE1BV	33.00	55.00	35.00	1	-	}		1	1	ļ.	
	V to P Conversion, Per Customer Request-Voice Grade V to P Conversion, Per Customer Request-DS0			CLO	PE1BV PE1BO	33.00										
-	V to P Conversion, Per Customer Request-DS0 V to P Conversion, Per Customer Request-DS1			CLO	PE1BO	52.00					1					
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit			OLO	I L I DO	02.00										
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit				1											
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit															
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700															
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO,UDF	PE1ES	0.001										
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001			-		1					
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application			CLO, OLS, OSL	FLIDS	0.0013					1					
	Fee, per application			CLO	PE1DT		583.18									
PHYSICAL C	DLLOCATION			020	1 2 101		000.10									
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				1											
	Wire Analog - Res			UEPSR	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															1
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus			UEPSB	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.30	12.60	12.60					18.94	8.42		
				UEPSX	PE1R2	0.30	12.60	12.60	-		1		18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			ULFIX	FLINZ	0.30	12.00	12.00					10.54	0.42		
	Wire ISDN DS1	l		UEPEX	PE1R4	0.50	12.60	12.60					18.94	8.42		
ADJACENT C	COLLOCATION		<u> </u>		1	5.50	.2.50	.2.30					.0.04	5. 12	1	
	Adjacent Collocation - Space Charge per Sq. Ft.		i –	CLOAC	PE1JA	0.2542				l			İ			İ
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.44										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.598	24.95	23.97	11.80	10.67						
				UEA,UHL,UDL,UCL	, [_	_	-								
	Adjacent Collocation - 4-Wire Cross-Connects		<u> </u>	CLOAC	PE1P4	0.1196	25.14	24.11	12.15	10.93				ļ		<u> </u>
	Adjacent Collocation - DS1 Cross-Connects		<u> </u>	USL,CLOAC	PE1P1	1.04	44.19	32.13	11.93	10.81				ļ	ļ	ļ
	Adjacent Collocation - DS3 Cross-Connects	<u> </u>	<u> </u>	CLOAC	PE1P3	14.12	41.93	30.69	13.71	11.04			ļ			
	Adjacent Collocation - 2-Fiber Cross-Connect		ļ	CLOAC CLOAC	PE1F2 PE1F4	2.39 4.57	41.93 51.14	30.69 39.90	13.71 17.96	11.05 15.29			ļ			↓
	Adjacent Collocation - 4-Fiber Cross-Connect															

COLLOCAT	ION - Georgia												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.39										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.79										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.18										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	38.27										
	Adjacent Collocation - 240V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIJD	37.37										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		608.18	608.17	323.63	323.63						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224.82										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		25.88	25.88								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		74.22	74.22								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.88									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	: If Security Escort and/or Add'I Engineering Fees become nec							s			l					<u> </u>
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth in	General Tern	ns and Conditio	ns.	-			1		-			

COLLOCA	TION - Kentucky												Attach	ment: 4	Exhi	bit: B
COLLOG	The Homony										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-		Electronic-
															Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	·	U
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL (COLLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,773.54	3,773.54	1.01	1.01						
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,145.35	3,145.35	1.01	1.01						
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.12									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		1,206.07	1,206.07								
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.	<u> </u>		CLO	PE1SK	2.32							<u> </u>	<u> </u>	<u> </u>	
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless	<u> </u>		CLO	PE1SL	3.26										
1 1	Physical Collocation - Space Preparation - Common Systems													1	1	
	Modification per Cage	1		CLO	PE1SM	110.57										
	Physical Collocation - Cable Installation			CLO	PE1BD		1,729.11		45.16							
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.99										
	Physical Collocation - Cable Support Structure			CLO	PE1PM	19.86										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.06										
	Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PR		399.50									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.44										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.88										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.32										
				0.0	55450											
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.68										
				LIEANU LIEA LIBALLI												
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	Physical Callegation - 2 Wise Corne Comments			EQ, UDL, UNCVX,	PE1P2	0.0333	24.68	23.68	40.44	10.95						
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0333	24.68	23.68	12.14	10.95						
				CLO, UAL, UDL,												
				UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0665	24.88	23.82	12.77	11.46						
-	Physical Collocation - 4-wire Cross-Connects			CLO,UEANL,UEQ,W	PE IP4	0.000	24.88	23.82	12.77	11.46						
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
				USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.48	44.23	31.98	12.81	11.57						
	Friysical Collocation - DST Closs-Collifects			CLO, UE3,U1TD3,	FLIFI	1.40	44.23	31.30	12.01	11.57						
				UXTD3, UXTS1,												
				UNC3X, UNCSX.												
				ULDD3,												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL	PE1P3	18.89	41.93	30.51	14.75	11.83						
	,	1		CLO, ULDO3,		.0.00		33.31		50			1	t	†	
				ULD12, ULD48,												
1 1		1		U1TO3, U1T12,					1					1	1	
				U1T48, UDLO3,												
1 1	Physical Collocation - 2-Fiber Cross-Connect	1		UDL12, UDF	PE1F2	3.75	41.93	30.51	14.76	11.84	1			I	I	
				CLO, ULDO3,												
1 1		1		ULD12, ULD48,					I		1			I	I	
1 1		1		U1TO3, U1T12,					I		1			I	I	
1 1		1		U1T48, UDLO3,					1					1	1	
\perp	Physical Collocation - 4-Fiber Cross-Connect	<u></u>		UDL12, UDF	PE1F4	6.65	51.29	39.87	19.41	16.49	<u></u>		<u> </u>	<u> </u>	<u> </u>	
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	184.97										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.14										

COLLOCAT	ION - Kentucky													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	76.10										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.058	55.79	55.79								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.64	15.64								
	Stolen Card, per Card			CLO	PE1AR		45.74	45.74								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.29	26.29								
	Physical Collocation - Security Access - Key, Replace Lost or			l	L											
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises		<u> </u>	CLO CLO	PE1AL PE1SR		26.29 2,158.67	26.29 2,158.67	1							
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX UEANL,UEA,UDN,U	PE1PE	0.113	2,158.67	2,138.6/								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0.23										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1		1.60										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSY,		14.23										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		48.57										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		65.50										
	Physical Collocation - Request Resend of CFA Information, per CLLI		1	CLO	PE1C9	[77.55									
	Nonrecurring Collocation Cable Records - per request			CLO	PE1C9 PE1CR		1,524.45	980.01	267.02						 	
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		656.37	656.37	379.70							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.65	9.65	11.84	11.84						

COLLOCAT	TON - Kentucky													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.81	15.81	19.39	19.39						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		169.63	169.63	154.85	154.85						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.98	21.53								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.26	27.81								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.54	34.09								
	V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORG	PE1BV	33.00	34.34	34.09								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BO	33.00										+
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										+
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00			 		 	 		t	t	
	V to P Conversion, Per Customer Request per VG Circuit			020	. 2.20	02.00										
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit															
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit															
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															ĺ
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700															
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0012										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			0.0	55.50											
	Cable Support Structure, per cable, per lin. ft.		<u> </u>	CLO, UE3, USL	PE1DS	0.0018										
	Physical Collocation - Co-Carrier Cross Connects - Application			CLO	PE1DT		584.20									
PHYSICAL CO	Fee, per application			CLO	PEIDI		304.20		1							
PHISICAL CO	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-								1							1
	Wire Analog - Res			UEPSR	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OK	I L IIVZ	0.0333	24.00	23.00	12.14	10.33		7.00				-
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus			UEPSB	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPSX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPTX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-															
	Wire ISDN DS1			UEPEX	PE1R4	1.48	44.23	31.98	12.81	11.57		7.86				ļ
ADJACENT C	OLLOCATION Control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of			01.040	DEATA	0.0470										
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC CLOAC	PE1JA PE1JC	0.0173										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects		-	CLOAC	PE1JC PE1P2	5.35 0.0258	24.68	23.68	12.14	10.95	<u> </u>		-	-	-	
-	Projecting Conocation - 2-14116 Closs-Connects			UEA,UHL,UDL,UCL,	I LIFZ	0.0236	24.00	23.00	12.14	10.95	1		-	 	 	+
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0515	24.88	23.82	12,77	11.46				1	1	
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.37	44.23	31.98	12.81	11.57				<u> </u>	<u> </u>	t
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	18.61	41.93	30.51	14.75	11.83				1	1	1
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.15	41.93	30.51	14.76	11.84				1	t	
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.02	51.29	39.87	19.41	16.49			İ	1	İ	İ .
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,165.50	-	1.01							1
	Adjacent Collocation - 120V, Single Phase Standby Power Rate								ĺ							
	per AC Breaker Amp			CLOAC	PE1FB	5.44							<u> </u>	<u> </u>		<u> </u>
	Adjacent Collocation - 240V, Single Phase Standby Power Rate												I			
	per AC Breaker Amp		<u> </u>	CLOAC	PE1FD	10.88			<u> </u>		<u> </u>	<u> </u>	<u></u>			<u></u>

COLLOCAT	ION - Kentucky												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Dan	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.32										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.68										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															1
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.78		338.89							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67										ļ
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.29									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.64									
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		75.40									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.42									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	If Security Escort and/or Add'l Engineering Fees become nec							s								
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth in	General Tern	ns and Conditio	ns.									

### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### BCS USOC ### B	COLLOCAT	ION - Mississippi												Attach	ment: 4	Exhi	bit: B
ATE CLEMENTS RATE CLEMENTS RATE CLEMENTS REC STATES (1) State of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the contr	Jacobai											Svc Order	Svc Order				Incremental
ATTE BLEMPT Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Interest Inter	I		1		1	I											
## CATEGORY SATE ELEMENTS Same Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social Social So					Ì												
No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No.	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No. No.			m						- (.,			per LSK	per LSK				
Mile														1st	Add'I	Disc 1st	Disc Add'I
Printed Colocation							_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
Project Concentration							Rec	First	Add'l			SOMEC	SOMAN			SOMAN	SOMAN
Project Collection - Application Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Information Fee - Informa																	
Physical Collections Application For Subsequent CoLD PECIA 1,576 8 EST	PHYSICAL CO	LLOCATION															
Physical Collectation - Agricultural Text - Statemyant 1		Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,890.38		0.51							
Prysical Collection - Species Proposation - Co. Modification per la CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CLO PE15J CL		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,575.69		0.51							
Proceeding		Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.76									
Proceeding		Physical Collocation - Space Preparation - Firm Order															
Square F. CLC PETER 2.00			- 1		CLO	PE1SJ		604.19									
Square F. CLC PETER 2.00		Physical Collocation - Space Preparation - C.O. Modification per															
Physical Collocation - Space Presidency - Corporal Systems C.Q.O PE180, 2.62			- 1		CLO	PE1SK	2.30										
Modification per square 8 - Cappless 1 CLO PETB 2.25																	
Physical Collocation - Space Preparations - Common Systems 1			1		CLO	PE1SL	2.52							l		I	
Modification per Cage										1							
Physical Collocation - Califer Institlation			1		CLO	PE1SM	85.67							l		I	
Physical Collocation - 10st Space et 95, PT. CLO PF1F2 5.74			1					926.27	926.27	22.62	İ			İ	İ	İ	
Physical Collocation - Cable Support Structure					CLO	PE1PJ	5.74										
Physical Collocation - Power -489 to De Power, per Fued and part CLO PETPR 7-33																	
Physical Collocation - Power Reduction, Application Fee 1 CLO PETPR 398.76			1		CLO	PE1PL	7.33										
Physical Collocation - 120V, Single Phase Standby Power Rate			1		CLO	PE1PR		398.76									
Physical Collocation - 240V, Single Phase Standby Power Rate 1																	
Physical Collocation - 120V, Three Phase Standby Power Rate 1		Physical Collocation - 120V, Single Phase Standby Power Rate	- 1		CLO	PE1FB	5.29										
Physical Collocation - 120V, Three Phase Standby Power Rate 1		, , , , , , , , , , , , , , , , , , , ,															
Physical Collocation - 120V, Three Phase Standby Power Rate 1		Physical Collocation - 240V, Single Phase Standby Power Rate	- 1		CLO	PE1FD	10.58										
Physical Collocation - 277V, Three Phase Standby Power Rate 1		, , , , , , , , , , , , , , , , , , , ,															
Physical Collocation - 277V, Three Phase Standby Power Rate 1		Physical Collocation - 120V, Three Phase Standby Power Rate	- 1		CLO	PE1FE	15.87										
UEANL, UEA, UNCXX, UNCXX PE1P2 0.0288 12.37 11.87 6.04 5.45																	
UEANL, UEA, UDL, UDL, UDL, UDL, UDL, UDL, UDL, UDL		Physical Collocation - 277V, Three Phase Standby Power Rate	- 1		CLO	PE1FG	36.65										
DC_UAL_UH_UCU_U EQ. UDL_UMCX_UNDX_UNDX_UNDX_UNDX_UNDX_UNDX_UNDX_UND																	
EQ. UDI. UNDIX. EQ. UDI. UNDIX. EQ. UDI. UNDIX. EQ. UDI. UNDIX. EQ. UDI. UNDIX. EQ. UDI. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ. UDI. EQ					UEANL,UEA,UDN,U												
Physical Collocation - 2-Wire Cross-Connects																	
Physical Collocation - 2-Wire Cross-Connects					EQ. UDL. UNCVX.												
CLO, UAL, UDIL, UDIL, UDIL, UDIL, UDIL, UDIL, UNIVEX, UNCOX, UCL		Physical Collocation - 2-Wire Cross-Connects				PE1P2	0.0288	12.37	11.87	6.04	5.45						
DNCVX_UNCDX, UCL PE1P4 0.0576 12.47 11.94 6.59 5.91		,															
DNCVX_UNCDX, UCL PE1P4 0.0576 12.47 11.94 6.59 5.91																	
Physical Collocation - 4-Wire Cross-Connects																	
CLO, UEANL, UEAN, USL USL USL USL USL USL USL USL USL USL		Physical Collocation - 4-Wire Cross-Connects				PE1P4	0.0576	12.47	11.94	6.59	5.91						
DS11MDS18, USLS ULD1, USLS ULD1, USLS ULD1, USLS ULD1, USLS ULD1, USLS ULD1, USLS ULD1, USLS ULD1, USLS ULD1, USLS ULD1, USLS ULD1, USLS ULD2, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD4, USLS ULD48, U1T03, UT12, ULD48, U1T03, UT12, ULD48, U1T03, ULD3, ULD4, ULD3, ULD4, ULD3, ULD4, ULD3, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4, ULD4					CLO.UEANL.UEQ.W		0.00.0										
U1TD1, UXTD1, UDD1, UNC13, ULDD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UNC5X, ULD3, ULD13, ULD13, ULD14, ULD14, UNLD3, UDL PE1P3																	
UNC1X, ULDD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD2, USLED3, UNTD3, UNTD3, UNTD3, UNC3X, UNCSX, ULDD3, ULD1, UNLD3, UDL PE1P3																	
USLEL, UNLD1, UDL PE1P1 1.14 22.16 16.02 6.60 5.97																	
Physical Collocation - DS1 Cross-Connects																	
CLO, UE3, UTD3, UXTS1, UXTS1, UNC3X, UXD3, UXD3, ULD3, ULD3, ULD51, UNLD3, UDL PE1P3		Physical Collocation - DS1 Cross-Connects				PE1P1	1.14	22.16	16.02	6.60	5.97						
Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute Dute		Thydical concountry De Forces connecte						22.10	10.02	0.00	0.07						
UNC3X, UNCSX, ULDD3, UTS1,ULDS1, UTS1,ULDS1, UNLD3,UDL PE1P3																	
Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Display Duild Displa																	
Physical Collocation - DS3 Cross-Connects																	
Physical Collocation - DS3 Cross-Connects																	
CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF PE1F2 2.87 21.01 15.29 7.61 6.10 CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1D48, U1TO3, U1T12, U1T48, UDLO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, U1T12, U1T48, UDLO3, U1T12, U1T48, UDLO3, U1T12, U1T48, UDLO3, U1T12, U1T48, UDLO3, U1T12, U1T48, UDLO3, U1T12, U1T48, UDLO3, U1T12, U1T48, UDLO3, UDL12, UDF PE1F4 5.10 25.70 19.97 10.01 8.50 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Callocation - Welded Wire Cage - First 100 Sq. Ft. Physical Callocation - Welded Wire Cage - Firs		Physical Collocation - DS3 Cross-Connects				PF1P3	14 49	21.01	15 29	7 61	6 10						
ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, PE1F2		. Hysical Concodition Boo Group Connocio	 			11 0	14.40	21.01	10.23	7.01	3.10				1	-	
U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF PE1F2 2.87 21.01 15.29 7.61 6.10 UDL12, UDF PE1F2 2.87 21.01 15.29 7.61 6.10 UDL12, UDD			1											l		I	
Physical Collocation - 2-Fiber Cross-Connect																	
Physical Collocation - 2-Fiber Cross-Connect			1											l		I	
CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDL03, Physical Collocation - 4-Fiber Cross-Connect UDL12, UDF PE1F4 5.10 25.70 19.97 10.01 8.50 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20		Physical Collocation - 2-Fiber Cross-Connect	1			PE1F2	2 87	21 01	15 29	7.61	6 10			1		I	
ULD12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T14, UDL03,		1 Hysical Concodition 2 Fibor Cross Confiden	 				2.01	21.01	10.23	7.01	3.10				1	-	
U1TO3, U1T12, U1T48, UDLO3, Physical Collocation - 4-Fiber Cross-Connect UDL12, UDF PE1F4 5.10 25.70 19.97 10.01 8.50 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20 183.20			1				[1	
U1T48, UDLO3, UDL12, UDF PE1F4 5.10 25.70 19.97 10.01 8.50 Physical Collocation - 4-Fiber Cross-Connect UDL12, UDF PE1F4 5.10 25.70 19.97 10.01 8.50 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Called Wire Cage - First 100 Sq. Ft. Physical Called Wire Cage - First 100 Sq. Ft. Physical Called Wire Cage - First 100 Sq. Ft. Physical Called Wire Cage - First 100 Sq. Ft. Physical Called Wire Cage - First 100 Sq. Ft. Physical Called Wire Cage - First 100 Sq. Ft. Physical Called Wire Cage - First 100 Sq. Ft. Physical Called Wire Cage - First 100 Sq. Ft. Physical Called Wire Cage - First 100 Sq. Ft. Physical Called Wire Cage - First 100 Sq. Ft. Physical Called Wire Cage - First 100 Sq. Ft. Physical Called Wire Cage - First 100 Sq. Ft. Phys			1											l		I	
Physical Collocation - 4-Fiber Cross-Connect UDL12, UDF PE1F4 5.10 25.70 19.97 10.01 8.50 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20			1											l		I	
Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 183.20		Physical Collocation - 4-Fiber Cross-Connect	1			PE1F4	5 10	25.70	19 97	10.01	8.50			l		I	
			 					20.70	10.01	10.01	0.00	1			<u> </u>	 	
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	 		CLO	PE1CW	17.97			†		1			<u> </u>	 	

COLLOCAT	ION - Mississippi												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
		m						- (,,			per Lox	per LSK	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System per Central Office Physical Collocation - Security Access System - New Access	I		CLO	PE1AX	75.23										
	Card Activation, per Card	1		CLO	PE1A1	0.0576	27.95	27.95								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	ı		CLO	PE1AA		7.84	7.84								
	Stolen Card, per Card			CLO	PE1AR		22.91	22.91								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.17	13.17								
	Physical Collocation - Security Access - Key, Replace Lost or			0.0	DEAN		40.47	10.17								
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises	-	-	CLO CLO	PE1AL PE1SR		13.17 1,081.40	13.17 1,081.40			-					
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect	·		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.0867	1,001110	1,001110								
	per cross-connect			UEANL,UEA,UDN,U	FLIFE	0.0807										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0.1734										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.22										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	10.91										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	37.26										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	50.24										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.41									
	Nonrecurring Collocation Cable Records - per request	 		CLO	PE1C9 PE1CR		763.69	490.94	133.77		 					
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		328.81	400.04	190.22							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.84	4.84	5.93	5.93						

COLLOCAT	ION - Mississippi													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		2.27	2.27	2.78	2.78						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7.92	7.92	9.72	9.72						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		84.98	84.98	77.58	77.58						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		17.02	10.79	 						-	<u> </u>
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.17	13.94								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.32	17.08								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00	21.02	17.00								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application			0.0			=00.40									
BUILDIO AL OC	Fee, per application			CLO	PE1DT		583.13									
PHYSICAL CO	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				-				-							
	Wire Analog - Res			UEPSR	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				1									1	İ	
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSB	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				<u> </u>
	Wire ISDN			UEPSX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPTX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	PE1R4	0.0576	12.47	11.94	6.59	5.91		15.75				
ADJACENT C							•									1
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.68										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0223	12.37	11.87	6.04	5.45						
				UEA,UHL,UDL,UCL,	L											
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4 PE1P1	0.0446	12.47	11.94	6.59	5.91				1	1	
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects			USL,CLOAC CLOAC	PE1P1 PE1P3	1.05 14.27	22.16 21.01	16.02 15.29	6.60 7.61	5.97 6.10						
+	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F3	2.42	21.01	15.29	7.61	6.10				+	+	
+	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F4	4.62	25.70	19.97	10.01	8.50				 	 	
	Adjacent Collocation - 4-1 iber Cross-Connect Adjacent Collocation - Application Fee			CLOAC	PE1JB	7.02	1.585.83	10.01	0.51	3.30				†	†	†
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.29	.,500.00		0.01							
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.58										

COLLOC	CATION - Mississippi												Attach	ment: 4	Exhi	bit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect	1	1	oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	15.87										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	36.65										
PHYSICAL	COLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		309.48		168.63							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210.05										L
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.17	13.17								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.54	116.54								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77	37.77								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.14									,
PHYSICAL	. COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	OTE: If Security Escort and/or Add'I Engineering Fees become nece							s.								
No	te: Rates displaying an "R" in Interim column are interim and subj	ject to I	ate tru	e-up as set forth in	General Terr	ns and Condition	ns.									

COLLOC	ATION - North Carolina												A 1		F.4.	L'. B
COLLOCA	ATION - North Carolina	1	1		1	I					Cva Ordar	Cua Order	Incremental	ment: 4 Incremental		bit: B
												1				
												Submitted	Charge -	Charge -	Charge -	Charge -
0475000	DATE EL EMENTO	Interi		BCS	USOC			DATEO (6)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
—		 				Rec	Nonrec			g Disconnect				Rates(\$)		
		 					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		 														
PHYSICAL	COLLOCATION	<u> </u>		01.0	55.15.4		0.000.00									
	Physical Collocation - Application Fee - Initial	I		CLO	PE1BA		3,850.00	3,850.00								
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,119.00	3,119.00								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.44									
	Physical Collocation - Space Preparation - C.O. Modification per	1														'
	square ft.	l		CLO	PE1SK	1.57										
	Physical Collocation - Space Preparation - Common Systems															'
	Modification per square ft Cageless	I		CLO	PE1SL	3.26										
	Physical Collocation - Space Preparation - Common Systems	1												I	Ì	1 '
	Modification per Cage		1	CLO	PE1SM	110.79								.	ļ	 '
	Space Preparation Fees - Power Per Nominal -48V Dc Amp	I.		CLO	PEIFH	5.76				ļ	<u> </u>			ļ		 '
	Physical Collocation - Cable Installation	I		CLO	PE1BD		2,305.00	2,305.00		1						
	Physical Collocation - Floor Space per Sq. Ft.	I		CLO	PE1PJ	3.45				1						
	Physical Collocation - Cable Support Structure	- 1		CLO	PE1PM	21.33										
	Physical Collocation - Power -48V DC Power, per Fused Amp	- 1		CLO	PE1PL	8.50										
	Physical Collocation - Power Reduction, Application Fee	- 1		CLO	PE1PR		399.13									
																1
	Physical Collocation - 120V, Single Phase Standby Power Rate	- 1		CLO	PE1FB	5.50										<u> </u>
																'
	Physical Collocation - 240V, Single Phase Standby Power Rate	- 1		CLO	PE1FD	11.01										<u> </u>
																1
	Physical Collocation - 120V, Three Phase Standby Power Rate	- 1		CLO	PE1FE	16.51										'
																1
	Physical Collocation - 277V, Three Phase Standby Power Rate	1		CLO	PE1FG	38.12										'
																1
				UEANL,UEA,UDN,U												'
				DC,UAL,UHL,UCL,U												'
				EQ, UDL, UNCVX,												'
	Physical Collocation - 2-Wire Cross-Connects	1 1		UNLDX, UNCNX	PE1P2	0.32	41.78	39.23								'
				CLO, UAL, UDL,		1										
				UDN, UEA, UHL,												'
				UNCVX, UNCDX,												'
	Physical Collocation - 4-Wire Cross-Connects	1 1		UCL	PE1P4	0.64	41.91	39.25								'
	1 Hydrodi Conocation 4 Wile Cross Connects	 ' -		CLO,UEANL,UEQ,W	1 = 11 4	0.04	41.01	00.20		1						
				DS1L,WDS1S, USL,												'
				U1TD1, UXTD1,												'
				UNC1X, ULDD1,												
				USLEL, UNLD1,												1
	Physical Collocation - DS1 Cross-Connects	Ι.		UDL	PE1P1	2.34	71.02	51.08								'
	Physical Collocation - DST Cross-Connects	-		CLO, UE3,U1TD3,	PEIPI	2.34	71.02	31.06		+		-		-		
				UXTD3, UXTS1,												'
				UNC3X, UNCSX,												'
																'
				ULDD3,												'
	B	1		U1TS1,ULDS1,	55.50											'
—	Physical Collocation - DS3 Cross-Connects		1	UNLD3, UDL	PE1P3	42.84	69.84	49.43								
				CLO, ULDO3,												'
				ULD12, ULD48,										1		1 '
				U1TO3, U1T12,												'
	B	1 .		U1T48, UDLO3,												'
\vdash	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.94	51.97	38.59			ļ	ļ				
				CLO, ULDO3,										1		1 '
		1		ULD12, ULD48,	1									I	Ì	1 '
				U1TO3, U1T12,										1		1 '
		1		U1T48, UDLO3,	L									I	Ì	1 '
	Physical Collocation - 4-Fiber Cross-Connect		1	UDL12, UDF	PE1F4	5.62	64.53	51.15						.	ļ	
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	l l		CLO	PE1BW	102.76				ļ	<u> </u>			ļ		 '
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	I		CLO	PE1CW	10.44				1				l .]	

COLLOCAT	ION - North Carolina												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Physical Collocation - Security Access System - Security System					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System per Central Office Physical Collocation - Security Access System - New Access	ı		CLO	PE1AX	41.03										
	Card Activation, per Card	1		CLO	PE1A1	0.062	55.30	55.30								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.51	15.51								
	Stolen Card, per Card			CLO	PE1AR		45.34	45.34								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.18	26.18								
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.18	26.18								
	Physical Collocation - Space Availability Report per premises	<u> </u>		CLO	PE1SR		2,140.00	2,140.00	1							
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX UEANL,UEA,UDN,U	PE1PE	0.10	5,	3,								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0.19										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	0.79										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	4.85										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	45.30										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	61.09										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.48									
	Nonrecurring Collocation Cable Records - per request	1	1	CLO	PE1C9 PE1CR		1,707.00		+		 					
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		923.08									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		18.02	18.02								

COLLOCAT	TION - North Carolina													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.43	8.43								
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.51	29.51								
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		278.82	278.82								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		42.92	25.56								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		54.51	32.44								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		66.10	39.32								
	V to P Conversion, Per Customer Request-Voice Grade			CLO CLO	PE1BV PE1BO	33.00 33.00			1						-	
 	V to P Conversion, Per Customer Request-DS0 V to P Conversion, Per Customer Request-DS1	-	-	CLO	PE1BO PE1B1	52.00			+		 			1	 	
 	V to P Conversion, Per Customer request-DS3		-	CLO	PE1B1	52.00			 	1	1	1		1	 	1
 	V to P Conversion, Per Customer Request per VG Circuit			0_0	150	02.00									-	
	Reconfigured		1	CLO	PE1BR	23.00			1							
	V to P Conversion, Per Customer Request per DS0 Circuit															
	Reconfigured		<u> </u>	CLO	PE1BP	23.00			<u></u>	<u></u>	<u> </u>				<u></u>	
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700		1	l., .	DE 10-				1							
 	prs or fraction thereof			CLO	PE1B7	592.00					ļ					
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable		1	CLO.UDF	PE1ES	0.0018			1							
 	Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax		-	GLU,UDF	PE IES	0.0018			 	-	 			-		
	Cable Support Structure, per cable, per lin. ft.		1	CLO, UE3, USL	PE1DS	0.0027			1							
	Physical Collocation - Co-Carrier Cross Connects - Application			, 55, 55-		3.0021										
	Fee, per application		1	CLO	PE1DT		583.66		1							
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-													_		
	Wire Analog - Res			UEPSR	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1	LIEDOD	DE4D2			22.5	1							
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			HEDGE	DE4D2	0.32	44 70	39.23					26.94	10.76		
 	Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		-	UEPSE	PE1R2	0.32	41.78	39.23	 	1	1	1	∠0.94	12.76	 	
	Wire Analog - Bus			UEPSB	PE1R2	0.32	41.78	39.23					26.94	12.76	1	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			1		0.02		00.20	1				20.04	.20	1	
	Wire ISDN		1	UEPSX	PE1R2	0.32	41.78	39.23	1				26.94	12.76		
İ	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPTX	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-								_						_	
AD IACENT A	Wire ISDN DS1		<u> </u>	UEPEX	PE1R4	0.64	41.91	39.25	-				26.94	12.76	1	
ADJACENT C	OLLOCATION Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.179			_		 				 	-
 	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JA PE1JC	5.96			 		1			1	 	
 	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.32	41.78	39.23	+		 				t	
 	Concount E This close Confiden			UEA,UHL,UDL,UCL,		0.02	71.70	00.20	†					1	†	
	Adjacent Collocation - 4-Wire Cross-Connects		1	CLOAC	PE1P4	0.64	41.91	39.25	1							
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	2.34	71.02	51.08								
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	42.84	69.84	49.43								
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.94	51.97	38.59								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.62	64.53	51.15								
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,153.00		ļ						1	
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.50										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11.01										

COLLOCAT	ION - North Carolina												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Dan	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.51										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	38.12										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE														1	
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		865.34	865.34								
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	254.02										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.06	26.06								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		230.60	230.60								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		74.74	74.74								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62	-							
	If Security Escort and/or Add'l Engineering Fees become nec							s								
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth in	General Tern	ns and Conditio	ns.									

COLLOCA	ION - South Carolina												Attach	ment: 4	Exhi	bit: B
CCLLCCA	Total Galania										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		١									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-		Electronic-
															Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL C	DLLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,883.67	1,883.67	0.51	0.51						
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,570.10	1,570.10	0.51	0.51						
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.66									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		602.05	602.05								
	Physical Collocation - Space Preparation - C.O. Modification per															
1 1	square ft.	1		CLO	PE1SK	2.75			I		1			I	I	
	Physical Collocation - Space Preparation - Common Systems															
L l	Modification per square ft Cageless	<u>L_</u>		CLO	PE1SL	3.24			<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
	Physical Collocation - Space Preparation - Common Systems					1										
1 1	Modification per Cage	1		CLO	PE1SM	110.16			I		1			I	I	
	Physical Collocation - Cable Installation	<u></u>		CLO	PE1BD	İ	794.22	794.22	22.54	22.54						
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	3.95										
	Physical Collocation - Cable Support Structure			CLO	PE1PM	21.33										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	9.19										
	Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		400.33									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.67										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.36										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	17.03										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	39.33										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0341	12.32	11.83	6.04	5.45						
				CLO, UAL, UDL,												
				UDN, UEA, UHL,												
				UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0682	12.42	11.90	6.40	5.74						
				CLO,UEANL,UEQ,W												
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
				USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.12	22.08	15.96	6.42	5.80						
				CLO, UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL	PE1P3	14.21	20.94	15.23	7.39	5.93						
				CLO, ULDO3,												
1 1		1		ULD12, ULD48,	l				I		1			I	I	
1 1				U1TO3, U1T12,					1		İ	1		1		
1 1				U1T48, UDLO3,					1					1	1	
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.82	20.94	15.23	7.40	5.93						
				CLO, ULDO3,												
1 1				ULD12, ULD48,					1					1	1	
		1		U1TO3, U1T12,	l				I		1			I	I	
1 1				U1T48, UDLO3,					1		İ	1		1		
	Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF	PE1F4	5.01	25.61	19.90	9.73	8.26						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	219.19										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	21.50										

COLLOCAT	ION - South Carolina												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
															DISC 1St	DISC AUU I
			ļ			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System	1					FIISL	Add I	FIISL	Add I	SOMEC	SUMAN	SUMAN	SOWAN	SOWAN	SOMAN
	per Central Office Physical Collocation - Security Access System - New Access			CLO	PE1AX	74.72										
	Card Activation, per Card			CLO	PE1A1	0.0601	27.85	27.85								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.81	7.81								
	Stolen Card, per Card			CLO	PE1AR		22.83	22.83								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.13	13.13								
	Physical Collocation - Security Access - Key, Replace Lost or			01.0	DEAN		40.40	10.10								
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises	1	 	CLO CLO	PE1AL PE1SR		13.13 1,077.57	13.13 1,077.57			-					
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX UEANL,UEA,UDN,U	PE1PE	0.085	,,,,,,,,	1,011101								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0.1701										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	10.71										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	36.55										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	49.29										
	Physical Collocation - Request Resend of CFA Information, per CLLI		1	CLO	PE1C9		77.71									
	Nonrecurring Collocation Cable Records - per request	-	<u> </u>	CLO	PE1C9 PE1CR		760.98	489.20	133.29	133.29	 					
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		327.65	327.65	189.54	189.54						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.82	4.82	5.91	5.91						

COLLOCAT	ON - South Carolina													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	DISC 1St	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Normalia Calleration Calle Brooks BOA and TATIF			01.0	DE 404		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Nonrecurring Collocation Cable Records - DS1, per T1TIE Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO CLO	PE1C1 PE1C3		2.26 7.90	2.26 7.90	2.77 9.68	2.77 9.68	-			-		
-	Nonrecurring Collocation Cable Records - DS3, per 1311E			CLO	PEIGS		7.90	7.90	9.00	9.00	-			-		
	fiber records			CLO	PE1CB		84.68	84.68	77.30	77.30						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.96	10.75	77.00	77.00						
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.10	13.89								
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,															
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.23	17.02								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3		<u> </u>	CLO	PE1B3	52.00								1	1	
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT		584.42									
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	1.12	22.08	15.96	6.42	5.80		15.69				
ADJACENT C				UEPEX	PETR4	1.12	22.06	15.96	0.42	5.60		15.09				
ADSAGENTO	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40								1		
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC UEA,UHL,UDL,UCL,	PE1P2	0.0264	12.32	11.83	6.04	5.45						
	Adjacent Collocation - 4-Wire Cross-Connects		1	CLOAC	PE1P4	0.0527	12.42	11.90	6.40	5.74				I		
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.08	15.96	6.42	5.80						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.00	20.94	15.23	7.39	5.93						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.37	20.94	15.23	7.40	5.93						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.53	25.61	19.90	9.73	8.26						ļ
	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate			CLOAC	PE1JB	= 0=	1,580.20		0.51	0.51						
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB PE1FD	5.67 11.36										

COLLOCAT	ION - South Carolina												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17.03										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	39.33										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE												1			
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		308.38	308.38	168.60	168.60						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.13	13.13								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.13	116.13								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64	37.64								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.50									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	If Security Escort and/or Add'l Engineering Fees become nec							s.								
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth in	General Tern	ns and Condition	ns.									

COLLOC	CATIO	ON - Tennessee												Attach	ment: 4	Fxhi	bit: B
COLLOG	,,,,,,,	511 TOMINOCOCO										Svc Order	Svc Order	Incremental			
													Submitted		Charge -	Charge -	Charge -
												Elec					Manual Svc
CATEGOR	· ·	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Manually		Manual Svc		
CATEGOR	. 1	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring			g Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL		LOCATION															
		Physical Collocation - Cageless - Application Fee			CLO	PE1CH		2,633.00	2,633.00								
		Physical Collocation Administrative Only - Application Fee	I		CLO	PE1BL		743.25									
		Physical Collocation - Space Preparation - C.O. Modification per															
		square ft.	- 1		CLO	PE1SK	2.74										
		Physical Collocation - Space Preparation - Common Systems															
		Modification per square ft Cageless	- 1		CLO	PE1SL	2.95										
		Physical Collocation - Space Preparation - Common Systems															
		Modification per Cage	1		CLO	PE1SM	100.14										
		Physical Collocation - Cageless - Cable Installation Cost, per	1		-					İ	1			İ	İ	İ	İ
		cable	1			1		1,749.00	1,749.00	Ì	1		l		I	I	I
		Physical Collocation - Cageless - Floor Space, per sq. ft.	1			1	3.91	,	,	1	1	1	i		1	1	1
		Physical Collocation - Floor Space per Sq. Ft.	1		CLO	PE1PJ	6.75			1	1	1	1		1	1	1
		Physical Collocation - Cageless - Cable Support Structure	1		CLO	PE1CJ	17.87										
		Physical Collocation - Cable Support Structure			CLO	PE1PM	19.80			†	†	1	 		†	†	†
-		Physical Collocation - Cageless - Floor Space Power, per Fused	<u> </u>		OLO	1 = 11 101	10.00					1					
		Amp					6.79										
		Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.87										
-		Physical Collocation - Power Reduction, Application Fee	l i		CLO	PE1PR	0.07	400.10									
	- 1	Friysical Collocation - Fower Reduction, Application ree	- '		CLO	FLIFK		400.10				1					
		Physical Collocation - 120V, Single Phase Standby Power Rate	1		CLO	PE1FB	5.60										
		Physical Collocation - 120V, Single Phase Standby Power Rate	<u> </u>	1	CLO	PEIFB	5.60										
		Physical Callegation 2401/ Circle Phase Ctandles Passas Pate	١.		CLO	PE1FD	11.22										
		Physical Collocation - 240V, Single Phase Standby Power Rate	<u> </u>		CLO	PETFU	11.22										
		DI	١.		CLO	PE1FE	40.00										
		Physical Collocation - 120V, Three Phase Standby Power Rate	- 1		CLO	PETFE	16.82										
		B	١.		0.0												
		Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	38.84										
					UEANL,UEA,UDN,U												
					DC,UAL,UHL,UCL,U												
			l .		EQ, UDL, UNCVX,												
		Physical Collocation - 2-Wire Cross-Connects	I		UNLDX, UNCNX	PE1P2	0.033	33.82	31.92								
		Physcial Collocation - Cageless - 2-Wire Cross-Connects					0.57	11.62	9.90	10.38	8.66						
	Į		1		CLO, UAL, UDL,	1					I				I	I	I
1 1	ļ		1		UDN, UEA, UHL,	1				Ì	1		l		I	I	I
	Į		1		UNCVX, UNCDX,						I				I	I	I
		Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.066	33.94	31.95			ļ					
		Physical Collocation - Cageless - 4-Wire Cross Connects					0.57	11.81	10.04	10.44	8.67						
	T				CLO,UEANL,UEQ,W									I			
					DS1L,WDS1S, USL,												
					U1TD1, UXTD1,												
					UNC1X, ULDD1,												
	ļ				USLEL, UNLD1,						1		1		1	1	1
		Physical Collocation - DS1 Cross-Connects	1		UDL	PE1P1	1.51	53.27	40.16	Ì	1		l		I	I	I
		Physical Collocation - Cageless - DS1 Cross Connects					1.32	32.22	17.76	10.46	8.75						
					CLO, UE3,U1TD3,	Ì			<u>-</u>			1					
			1		UXTD3, UXTS1,	1				Ì	1		l		I	I	1
	ļ				UNC3X, UNCSX,						1		1		1	1	1
	ļ		1		ULDD3.	1				Ì	1		İ		I	I	1
	ļ				U1TS1,ULDS1,						1		1		1	1	1
		Physical Collocation - DS3 Cross-Connects	1		UNLD3, UDL	PE1P3	19.26	52.37	38.89								
		Physical Collocation - Cageless - DS3 Cross Connects	 '				12.32	29.97	16.30	12.03	8.99				 	 	
\vdash		The same contraction of our order of the contraction	 		CLO, ULDO3,		12.02	20.01	10.00	12.00	5.55	1	 		 	 	
	Į		1		ULD12, ULD48,	1					I				I	I	I
	ļ		1		U1TO3, U1T12,	1				Ì	1		İ		I	I	1
	Į		1		U1T48. UDLO3.	1					I				I	I	I
		Physical Collocation - 2-Fiber Cross-Connect	Ι.		UDL12, UDF	PE1F2	15.64	41.56	29.82	12.96	10.34		İ	2.69	2.69	1.56	1.50
		r nysicai Conocation - 2-ribei Cioss-Connect			ODLIZ, ODF	F L' IFZ	10.04	41.00	29.82	12.96	10.34			2.69	2.09	1.00	1.56

COLLOCAT	ION - Tennessee												Attach	ment: 4	Exhi	hit: B
COLLOCAL											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	1	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring	Add'l		g Disconnect	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
			 	CLO, ULDO3,			First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				ULD12, ULD48,												
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - Cageless - 2-Fiber Cross-Connect			UDL12, UDF	PE1CK	3.03	41.56	29.82	12.96	10.34						
				CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect	I		UDL12, UDF	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
				CLO, ULDO3,						1						
		1		ULD12, ULD48, U1TO3, U1T12,						I						
				U1T48, UDLO3,												
	Physical Collocation - Cageless - 4-Fiber Cross-Connect			U1148, UDLO3, UDL12. UDF	PE1CL	6.06	50.53	38.78	16.97	14.35						
	Physical Collocation - Cageless - 4-Fiber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	1		CLO	PE1BW	218.53	50.55	30.76	16.97	14.33						
	Physical Collocation - Welded Wire Cage - Hist 100 Sq. 1 t. Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	l i		CLO	PE1CW	21.44										
	Physical Collocation - Security Access System - Security System		 	OLO	1 21011	21.44										
	per Central Office	- 1		CLO	PE1AX	55.99										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card	- 1		CLO	PE1A1	0.059	55.67	55.67								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,027.00	2,154.00								
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,	١.		UNCVX, UNCDX,	DE 4 DE	0.40										
	per cross-connect			UNCNX UEANL,UEA,UDN,U	PE1PE	0.40				-						
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ.CLO. USL.												
	per cross-connect	1		UNCVX, UNCDX	PE1PF	1.20										
				UEANL,UEA,UDN,U												
			1	DC,UAL,UHL,UCL,U												
			1	EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1,												
				UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	per cross-connect	l I		UNLD1	PE1PG	1.20										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,												
				U1TD3, UXTD3,												
				UXTS1, UNC3X,												
				UNCSX, ULDD3,												
				U1TS1, ULDS1,												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UNLD3, UDL,												
	per cross-connect	- 1		UDLSX	PE1PH	8.00										
				UEANL,UEA,UDN,U				· · · · · · · · · · · · · · · · · · ·					-			
		1		DC,UAL,UHL,UCL,U						I						
		1		EQ,CLO, ULDO3,						I						
		1		ULD12, ULD48,						1						
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			U1TO3, U1T12, U1T48, UDLO3,						1						
	Per Cross-Connect	1		UDL12, UDF	PE1B2	38.79				I						
	I or orong confiden		<u> </u>	ODL12, ODI	1. 1.102	30.79	11		1	1	1	1		l		

COLLOCAT	ION - Tennessee	1				T								ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	52.31										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.67									ĺ
	Nonrecurring Collocation Cable Records - per request	-i-		CLO	PE1CR		1,711.00									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per	·		020			1,7 1 11.00		†							
	cable record			CLO	PE1CD	<u></u>	925.06		<u> </u>							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per															
	each 100 pair	- 1		CLO	PE1CO		18.05	18.05								
	Nonrecurring Collocation Cable Records - DS1, per T1TIE Nonrecurring Collocation Cable Records - DS3, per T3TIE	- !		CLO CLO	PE1C1 PE1C3		8.45 29.57	8.45 29.57								
	Nonrecurring Collocation Cable Records - DS3, per 1311E Nonrecurring Collocation Cable Records - Fiber Cable, per 99	- '		CLO	PE103		29.57	29.57								
	fiber records	1		CLO	PE1CB		279.42	279.42								ĺ
	Physcial Collocation - Cageless - Security Escort - Basic, per															
	Half Hour						33.15	20.44								
	Physical Collocation - Cageless - Security Escort - Overtime, per															ĺ
	Half Hour Physical Collocation - Cageless - Security Escort - Premium, per						41.50	25.61								!
	Half Hour						49.86	30.79								ĺ
	V to P Conversion, Per Customer Request-Voice Grade	ı		CLO	PE1BV	33.00	10.00		†							
	V to P Conversion, Per Customer Request-DS0	_		CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3	ı		CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured	ı		CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured V to P Conversion, Per Customer Request per DS1 Circuit	Ι		CLO	PE1BP	23.00										
	Reconfigured			CLO	PE1BS	33.00										ĺ
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof	i		CLO	PE1B7	592.00										
-	Physical Caged Collocation-App Cost(initial & sub)-Planning,	•				332.30			†							
	per request			CLO	PE1AC	16.16	2,903.66	2,903.66								
	Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE1BB	4.32										
	Physical Caged Collocation - Nonrecurring Charge Individual Case Basis Space Prep-Grounding ,per location			CLO	PE11D		ICB									
	Physical Caged Collocation-Space Prep-Power Delivery, per 40 amp Feed			CLO	PE1SN		142.40									
	Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp Feed			CLO	PE1SO		185.72									
	Physical Caged Collocation-Space Prep-Power Delivery, per 200 amp Feed			CLO	PEISP		242.05									
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft.			CLO	PE1S1	110.97										
	Phycical Caged Collocation-Space Enclosure-Cage Preparation2, per add'l 50 sq. ft.			CLO	PE1S5	55.49										<u> </u>
	Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per ft.			CLO	PE1CP	0.0156										<u> </u>
	Phycical Caged Collocation-Cable Installation-Entrance Fiber, per cable			CLO	PE1CQ	2.56	944.27									<u> </u>

COLLOCAT	ION - Tennessee													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	i Zone	BCS	usoc	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring			g Disconnect				Rates(\$)	l	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Caged Collocation-Floor Space-Land & Buildings, per sq. ft.			CLO	PE1FS	5.94										
	Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance cable			CLO	PE1CS	21.47										
	Physical Caged Collocation-Power-Power Construction, per amp DC plant			CLO	PE1PN	3.55										
	Physical Caged Collocation-Power-Power Consumption,per amp AC usage			CLO	PE1PO	2.03										
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade															
	ckts, per ckt. Physical Caged Collocation-4-wire Cross Connects-Voice Grade			CLO	PE12C	0.0475	7.68									-
	Ckts, per ckt.			CLO	PE14C	0.0475	7.68									
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt.			CLO	PE11S	7.68	41.65									
	Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt.			CLO	PE11X	0.38	41.65									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt.			CLO	PE13S	53.96	298.03									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per ckt.			CLO	PE13X	9.32	298.03									
	Physical Caged Collocation-Security Access-Access Cards, per 5 Cards			CLO	PE1A2		76.10									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0013	70.10									
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO	PE1DS	0.0019										
	Physical Collocation - Co-Carrier Cross Connects - Application					0.0013										
PHYSICAL CO	Fee, per application			CLO	PE1DT		585.09									
THOICAL CO	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	PE1R2	0.50	19.20	19.20					20.35	10.54	13.32	1.40
ADJACENT CO	OLLOCATION		 	OLFLA	r L IIV4	0.30	19.20	19.20					20.35	10.34	13.32	1.40
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53	44.10	40.10	44.00	40.00					4	1:0
	Adjacent Collocation - 2-Wire Cross-Connects		-	CLOAC UEA,UHL,UDL,UCL	PE1P2	0.34	11.12	10.18	11.33	10.23	1		1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-Wire Cross-Connects		<u></u>	CLOAC	PE1P4	0.33	11.30	10.31	11.62	10.44		<u></u>	1.77	1.77	1.12	1.12
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.70	28.39	16.88		10.54			1.77	1.77	1.12	1.12
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	19.03	26.23	15.51	13.40	10.77			1.77	1.77	1.12	1.12
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.49	26.23	15.51	13.41	10.78			1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-Fiber Cross-Connect		ļ	CLOAC	PE1F4	6.50	29.75	19.02	17.60	14.97	<u> </u>		1.77	1.77	1.12	1.12
	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate			CLOAC	PE1JB		2,973.00		0.9475							
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PE1FB	5.81										
	per AC Breaker Amp			CLOAC	PE1FD	11.64										

COLLOCAT	ION - Tennessee												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)					Submitted	Charge -	Charge -	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect		<u> </u>		OSS Rates(\$)			
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17.45										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	40.30										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		580.20		312.76							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	220.41										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		24.69									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		218.49									
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		70.81									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	If Security Escort and/or Add'l Engineering Fees become nec							S.								
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth in	General Tern	ns and Conditi	ons.									

ATTACHMENT 5 ACCESS TO NUMBERS AND NUMBER PORTABILITY

TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	1
2.	LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT	
SO	LUTION (LNP)	1

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- During the term of this Agreement, where Volaris is utilizing its own switch, Volaris shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, Volaris will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- Where BellSouth provides local switching or resold services to Volaris, BellSouth will provide Volaris with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Volaris acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Volaris acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that ALEC return unused intermediate numbers to BellSouth. ALEC shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.3 BellSouth will allow ALEC to designate up to 100 intermediate telephone numbers per rate center for ALEC's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. ALEC acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora. Interim Service Provider Number Portability (ISPNP) will be available only in those end offices where no carrier has requested implementation of Local Service Provider Number Portability – Permanent Solution (LNP). Once LNP is implemented in an end office pursuant to the request of a carrier, both Parties must withdraw their ISPNP offerings. The transition from existing ISPNP arrangements to LNP shall occur

within one hundred and twenty (120) days from the date LNP is implemented in the end office. Neither Party shall charge the other Party for conversion from ISPNP to LNP.

- 2.2 <u>End User Line Charge</u>. Where ALEC subscribes to BellSouth's local switching, BellSouth shall bill and ALEC shall pay the end user line charge associated with implementing LNP as set forth in BellSouth's FCC Tariff No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.
- 2.3 To limit service outage, BellSouth and ALEC will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and Volaris.
- 2.4 The Parties will set Local Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.7 BellSouth and ALEC will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.
- 3.0 Operational support system (OSS) rates.
- 3.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

Attachment 6

Pre-Ordering, Ordering and Provisioning, Maintenance and Repair

TABLE OF CONTENTS

3.	MISCELLANEOUS	5
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	4
1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR	3

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide pre-ordering, ordering, provisioning, and maintenance and repair services to ALEC that are equivalent to the pre-ordering, ordering, provisioning, and maintenance and repair services BellSouth provides to itself or any other CLEC, where technically feasible. The guidelines for pre-ordering, ordering, provisioning, and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at http://www.interconnection.bellsouth.com and are incorporated herein by reference.
- 1.2 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated,
coordinated orders and order
coordinated-time specific)

Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated orders)

- 1.2.1 The above hours represent the hours, either Eastern or Central Time, of the location where the physical work is being performed.
- 1.2.2 To the extent ALEC requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or Project Manager to work outside of regular working hours, overtime billing charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or Project Manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of ALEC, BellSouth will not assess ALEC additional charges beyond the rates and charges specified in this Agreement.

Version 1Q02: 02/20/02

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide ALEC access to operations support systems ("OSS") functions for pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of ALEC to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for ALEC's access and use of BellSouth's electronic interfaces are set forth at www.interconnection.bellsouth.com and are incorporated herein by reference.
- 2.1.1 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. ALEC shall provide to BellSouth access to customer record information including circuit numbers and/or telephone number where applicable. ALEC shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, ALEC shall provide to BellSouth paper copies of customer record information including circuit numbers associated with each telephone number where applicable within ten (10) business hours of request. The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. ALEC will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided. BellSouth reserves the right to audit ALEC's access to customer record information. If a BellSouth audit of ALEC's access to customer record information reveals that ALEC is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to ALEC may take corrective action, including but not limited to suspending or terminating ALEC's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.2 <u>Service Ordering</u>. BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. ALEC may integrate the EDI interface or the TAG ordering interface with the TAG pre-ordering interface. In addition, BellSouth will provide integrated pre-ordering and

Version 1Q02: 02/20/02

ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.

- 2.1.3 Maintenance and Repair. ALEC may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides several options for electronic trouble reporting. For exchange services, BellSouth will offer ALEC non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth will offer an industry standard, machineto-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth will provide non-discriminatory trouble reporting via the ECTA Gateway. BellSouth will provide ALEC an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair will be billed in accordance with the provisions of this Attachment. BellSouth and ALEC agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.2 <u>Change Management</u>. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.3 <u>BellSouth's Versioning Policy for Electronic Interfaces.</u> BellSouth's Versioning Policy is part of the Change Control Process (CCP). Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to ALEC, is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.4 <u>Rates.</u> Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement and are incorporated herein by reference.

3. MISCELLANEOUS

3.1 <u>Pending Orders.</u> Orders placed in the hold or pending status by ALEC will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, ALEC shall be required to submit a new service request. Incorrect or invalid requests returned to ALEC for correction or clarification will be held for thirty (30) days. If ALEC does not return a corrected request within thirty (30) days, BellSouth will cancel the request.

- 3.2 Single Point of Contact. ALEC will be the single point of contact with BellSouth for ordering activity for network elements and other services used by ALEC to provide services to its end users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected end user. ALEC and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of end-user authorization will not be necessary with every request. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes, including Un-PIC. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by ALEC to provide service to that end user and may reuse such network elements or facilities to enable such other carrier to provide service to the end user. BellSouth will notify ALEC that such a request has been processed, but will not be required to notify ALEC in advance of such processing.
- 3.2.1 Neither BellSouth nor ALEC shall prevent or delay an end-user from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall provide access to customer service records (CSRs), Firm Order Confirmations (FOCs) and Local Service Request rejects within the intervals set forth in Attachment 9 of this Agreement.
- 3.3 <u>Use of Facilities</u>. When a customer of ALEC elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to ALEC (with the exception of Line Sharing). In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility (with the exception of Line Sharing). BellSouth will notify ALEC that such a request has been processed aft the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier ("IXC") (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose

of obtaining end user billing account and other end user information required under subscription requirements.

- Cancellation Charges. If ALEC cancels a request for network elements or other 3.6 services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if ALEC places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements or services requested in accordance with the transmission characteristics of the network elements or services requested, cancellation charges described in this Section shall not apply. Where ALEC places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, ALEC may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should ALEC elect to cancel the entire LSR, cancellation charges as described in this Section shall not apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by ALEC, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

Attachment 7

Billing

TABLE OF CONTENTS

1.	PAYMENT AND BILLING ARRANGEMENTS	3
2.	BILLING DISPUTES	
3.	RAO HOSTING	8
4.	OPTIONAL DAILY USAGE FILE	1 1
5.	ACCESS DAILY USAGE FILE	14
Ra	ntes	xhihit A

BILLING

1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 <u>Billing</u>. BellSouth will bill through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) provided to ALEC under this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- 1.1.3 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.4 BellSouth will render bills each month for resold lines on established bill days for each of ALEC's accounts.
- 1.1.5 BellSouth will bill ALEC in advance for all resold services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill ALEC, and ALEC will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees.
- 1.1.6 BellSouth will not perform billing and collection services for ALEC as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 1.2 <u>Establishing Accounts</u>. After receiving certification as a local exchange carrier from the appropriate regulatory agency, ALEC will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name

and Abbreviation (ACNA), as applicable, and a tax exemption certificate, if applicable.

- 1.2.1 <u>Payment Responsibility</u>. Payment of all charges will be the responsibility of ALEC. ALEC shall make payment to BellSouth for all services billed. Payments made by ALEC to BellSouth as payment on account will be credited to ALEC's accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between ALEC and ALEC's customer
- 1.3 Payment Due. Payment for services provided to ALEC will be due on or before the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth. BellSouth bills are typically expected to be received by the billed Party within six (6) days of the bill date. ALEC will not contact BellSouth until seven days after that time to initiate consideration for additional payment time. Additional payment time will be negotiated and the parties will work together to resolve the problem of not receiving BellSouth bills in a timely manner.
- 1.4 If the payment due date falls on a Sunday or on a Holiday that is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.
- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to ALEC will not include those taxes or fees from which ALEC is exempt. ALEC will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of ALEC.
- Late Payment. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, ALEC may be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law. The late payment rules stated above apply to payments for invoices sent to BellSouth by Volaris.

- 1.7 <u>Discontinuing Service to ALEC</u>. The procedures for discontinuing service to ALEC are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by ALEC of the rules and regulations of BellSouth's tariffs.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the ALEC original bill date, BellSouth will provide written notice to ALEC that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by ALEC to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to ALEC if payment is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and ALEC's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to ALEC without further notice.
- 1.7.5 Upon discontinuance of service on ALEC's account, service to ALEC's end users will be denied. BellSouth will reestablish service for ALEC upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. ALEC is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen (15) days after ALEC has been denied and no arrangements to reestablish service have been made consistent with this subsection, ALEC's service will be disconnected.
- 1.8 <u>Deposit Policy.</u> ALEC shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release ALEC from its obligation to make complete and timely payments of its bill. ALEC shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to

determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in ALEC's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event ALEC fails to remit to BellSouth any deposit requested pursuant to this Section, service to ALEC may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to ALEC's account(s).

1.9 <u>ALEC Billing to BellSouth</u>

- 1.9.1 For any service(s) BellSouth receives from ALEC, ALEC shall bill BellSouth in CABS format or an agreed billing format.
- 1.9.2 Payment Due. Payment for services provided by ALEC will be due on or before the next bill date (i.e., same date in the following month as the bill date) is considered to have been made when received by ALEC.
- 1.9.3 If the payment due date falls on a Sunday or on a Holiday that is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.9.4, below, shall apply.
- 1.9.4 Late Payment. If any portion of the payment is received by ALEC after the payment due date as set forth preceding, or if any portion of the payment is received by ALEC in funds that are not immediately available to ALEC, then a late payment charge shall be due to ALEC. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, BellSouth may be charged a fee for all returned checks as set fort in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.
- 1.9.5 <u>Billing Dispute</u>. Billing disputes by BellSouth will be handled pursuant to Section 2 of this Attachment.
- 1.10 <u>Notices</u>. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional

orders from ALEC, shall be forwarded to the individual and/or address provided by ALEC in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by ALEC as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notice from ALEC to BellSouth's billing organization, a final notice of disconnection of services purchased by ALEC under this Agreement shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.

1.11 Rates. Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. BILLING DISPUTES

- Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. The Parties shall report all billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.
- 2.3 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the

payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for designed network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

3. RAO HOSTING

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to ALEC by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 ALEC shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Charges or credits, as applicable, will be applied by BellSouth to ALEC on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 3.4 ALEC must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, ALEC must request that BellSouth establish a unique hosted RAO code for ALEC. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.5 BellSouth will receive messages from ALEC that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. ALEC shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from ALEC.

- 3.7 All data received from ALEC that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from ALEC that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by ALEC and will forward them to ALEC on a daily basis for processing.
- 3.10 Transmission of message data between BellSouth and ALEC will be via CONNECT:Direct.
- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and ALEC for the purpose of data transmission. Where a dedicated line is required, ALEC will be responsible for ordering the circuit and coordinating the installation with BellSouth. ALEC is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on a individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to ALEC. Additionally, all message toll charges associated with the use of the dial circuit by ALEC will be the responsibility of ALEC. Associated equipment on the BellSouth end, including a modem, will be negotiated on a individual case basis between the Parties. All equipment, including modems and software, that is required on the ALEC end for the purpose of data transmission will be the responsibility of ALEC.
- 3.11 All messages and related data exchanged between BellSouth and ALEC will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 ALEC will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for ALEC to send data to BellSouth more than sixty (60) days past the message date(s), ALEC will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or ALEC, where necessary, to notify all affected LECs.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party responsible for losing or destroying the data will be liable to the other Party for any

resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.

- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from ALEC, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify ALEC of the error. ALEC will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, ALEC will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.16 In association with message distribution service, BellSouth will provide ALEC with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by ALEC as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between ALEC and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by ALEC and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by ALEC, is covered by CATS. Also covered is traffic that either is originated by or billed by ALEC, involves a company other than ALEC, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 3.18.3 Once ALEC is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.
- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of ALEC. BellSouth will distribute copies of these reports to ALEC on a monthly basis.

- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of ALEC. BellSouth will distribute copies of these reports to ALEC on a monthly basis.
- 3.18.6 BellSouth will collect the revenue earned by ALEC from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of ALEC. BellSouth will remit the revenue billed by ALEC to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on ALEC. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to ALEC via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 3.18.7 BellSouth will collect the revenue earned by ALEC within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of ALEC. BellSouth will remit the revenue billed by ALEC within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to ALEC via a monthly CABS miscellaneous bill.
- 3.18.8 BellSouth and ALEC agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from ALEC, BellSouth will provide the Optional Daily Usage File (ODUF) service to ALEC pursuant to the terms and conditions set forth in this section.
- 4.2 ALEC shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a ALEC customer.
- 4.4 Charges for the ODUF will appear on ALEC's monthly bills. The charges are as set forth in Exhibit A to this Attachment.
- 4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 4.6 Messages that error in the billing system of ALEC will be the responsibility of ALEC. If, however, ALEC should encounter significant volumes of errored

messages that prevent processing by ALEC within its systems, BellSouth will work with ALEC to determine the source of the errors and the appropriate resolution.

4.7	The following specifications shall apply to the ODUF feed.
4.7.1	ODUF Messages to be Transmitted
4.7.1.1	The following messages recorded by BellSouth will be transmitted to ALEC:
4.7.1.1.1	Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.)
4.7.1.1.2	Measured billable Local
4.7.1.1.3	Directory Assistance messages
4.7.1.1.4	IntraLATA Toll
4.7.1.1.5	WATS and 800 Service
4.7.1.1.6	N11
4.7.1.1.7	Information Service Provider Messages
4.7.1.1.8	Operator Services Messages
4.7.1.1.9	Operator Services Message Attempted Calls (Network Element only)
4.7.1.1.10	Credit/Cancel Records
4.7.1.1.11	Usage for Voice Mail Message Service
4.7.1.2	Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
4.7.1.3	BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to ALEC.
4.7.1.4	In the event that ALEC detects a duplicate on ODUF they receive from BellSouth ALEC will drop the duplicate message and will not return the duplicate to BellSouth.
4.7.2	ODUF Physical File Characteristics

- 4.7.2.1 ODUF will be distributed to ALEC via CONNECT:Direct or another mutually agreed medium. The ODUF feed will be a variable block format (2476) with a Logical Record Link (LRECL) of 2472. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and ALEC for the purpose of data transmission as set forth in Section 3.10 above.
- 4.7.3 ODUF Packing Specifications
- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to ALEC which BellSouth RAO that is sending the message. BellSouth and ALEC will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by ALEC and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 4.7.4 ODUF Pack Rejection
- 4.7.4.1 ALEC will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. ALEC will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to ALEC by BellSouth.
- 4.7.5 ODUF Control Data
- 4.7.5.1 ALEC will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate ALEC's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by ALEC for reasons stated in the above section.
- 4.7.6 ODUF Testing
- 4.7.6.1 Upon request from ALEC, BellSouth shall send ODUF test files to ALEC. The Parties agree to review and discuss the ODUF content and/or format. For testing

of usage results, BellSouth shall request that ALEC set up a production (live) file. The live test may consist of ALEC's employees making test calls for the types of services ALEC requests on ODUF. These test calls are logged by ALEC, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

5. ACCESS DAILY USAGE FILE

- 5.1 Upon written request from ALEC, BellSouth will provide the Access Daily Usage File (ADUF) service to ALEC pursuant to the terms and conditions set forth in this section.
- 5.2 ALEC shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that ALEC has purchased from BellSouth.
- 5.4 Charges for ADUF will appear on ALEC's monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard ATIS EMI record format.
- Messages that error in the billing system of ALEC will be the responsibility of ALEC. If, however, ALEC should encounter significant volumes of errored messages that prevent processing by ALEC within its systems, BellSouth will work with ALEC to determine the source of the errors and the appropriate resolution.
- 5.6 ADUF Messages To Be Transmitted
- 5.6.1 The following messages recorded by BellSouth will be transmitted to ALEC:
- 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.
- 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
- 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to ALEC.
- 5.6.3 In the event that ALEC detects a duplicate on ADUF they receive from BellSouth, ALEC will drop the duplicate message and will not return the duplicate to BellSouth.
- 5.6.4 ADUF Physical File Characteristics

- ADUF will be distributed to ALEC via CONNECT:Direct or another mutually agreed medium. The ADUF feed will be a fixed block format (2476) with an LRECL of 2472. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and ALEC for the purpose of data transmission as set forth in Section 3.10.1above.
- 5.6.5 ADUF Packing Specifications
- 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to ALEC which BellSouth RAO is sending the message. BellSouth and ALEC will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by ALEC and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.6 ADUF Pack Rejection
- ALEC will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. ALEC will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to ALEC by BellSouth.
- 5.6.7 ADUF Control Data
- 5.6.7.1 ALEC will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate ALEC's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by ALEC for reasons stated in the above section.
- 5.6.8 ADUF Testing

5.6.8.1 Upon request from ALEC, BellSouth shall send a test file of generic data to ALEC via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

ODUF/ADUF/CMDS - Alabama Attachment: 7 Ex Syc Order Syc Order Syc Order Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Increme													Exhil	bit: A		
												Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR		Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						_	Nonre	curring	Nonrecurring	Disconnect			Rates(\$)			
						Rec	First Add'l First Add'l						SOMAN	SOMAN	SOMAN	SOMAN
ODLIE/ADLIE/O	DUF/ADUF/CMDS															
	SS DAILY USAGE FILE (ADUF)				1											
7.552	ADUF: Message Processing, per message				N/A	0.007037										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000113										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.000011										
	ODUF: Message Processing, per message				N/A	0.004101										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	42.67										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000094										
CENT	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	ICED OPTIONAL DAILY USAGE FILE (EODUF)						<u> </u>									
	EODUF: Message Processing, per message				N/A	0.22										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	request by e	ther Party.					

ODUF/ADUF/CMDS - Florida Attachment: 7 Ex Syc Order Syc Order Syc Order Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Increme													Exhil	bit: A		
												Svc Order Submitted			Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	mental Incremental charge - Charge - Charge - Lal Svc Manual Svc Order vs. Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge	Manual Svc	
CATEGORI	RATE ELEMENTS	m	Zone	B03	0300			KAILS (\$)			per LSR	per LSR	Order vs. Electronic-		Order vs. Electronic-	Order vs. Electronic-
													1st		Disc 1st	Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect			<u> </u>			
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODLIE/ADLIE/O	DUF/ADUF/CMDS															
	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.001656										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000071										
	ODUF: Message Processing, per message				N/A	0.002146										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.91										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010375										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.080698										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by e	ther Party.					

ODUF/ADUF/EODUF/CMDS - Georgia Svc Order Svc Order Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental Incremental In														bit: A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES (\$) Nonrecurring Nonrecurring Disconnect						Submitted	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																i
ODUF/ADUF/OEDUF/CMDS																
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.0136327										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0001275										
	ODUF: Message Processing, per message				N/A	0.0082548										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	28.85										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
CENTI	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message			N/A	0.004											
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															1
	EODUF: Message Processing, per message				N/A	0.0034555										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as r	egotiated by t	he Parties upor	n request by e	ther Party.					

ODUF/ADU	F/EODUF/CMDS - Kentucky												Attachi	ment: 7	Exhi	bit: A
												Submitted	Charge -	Charge -	Incremental Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES (\$)						Manually per LSR	Order vs.	Order vs.	Manual Svc Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						B	Nonre	curring	Nonrecurrin	g Disconnect		l .	oss	I I		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUE/ADUE/	DEDUE/CMDC		-													
ODUF/ADUF/O	SS DAILY USAGE FILE (ADUF)	-					1				-	 				
ACCE	ADUF: Message Processing, per message				N/A	0.001857					-					
	ADDI: Message Flocessing, per message				IN/A	0.001037										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
OPTIC	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000136										
	ODUF: Message Processing, per message				N/A	0.002506										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.90										<u> </u>
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010372										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message N/A 0.004															
	CMDS: Data Transmission (CONNECT:DIRECT), per message		N/A	0.001												
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															1
	EODUF: Message Processing, per message				N/A	0.235889										1
Notes	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as r	egotiated by t	the Parties upo	n request by e	ither Party.					1

ODUF/ADUF	F/EODUF/CMDS - Mississippi												Attachi	ment: 7	Exhi	bit: A
												Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
		1									Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	l l		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	DEDITE/CMD6				+										1	
	SS DAILY USAGE FILE (ADUF)													1		
AGGE	ADUF: Message Processing, per message				N/A	0.008087										
	3,7,															
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012803										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000063										ĺ
	ODUF: Message Processing, per message				N/A	0.004707										ĺ
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010669										
	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message N/A 0.004															
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)					0.001									t	<u> </u>
	EODUF: Message Processing, per message				N/A	0.250424									t	<u> </u>
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli		h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					f e

ODUF/ADU	F/EODUF/CMDS - North Carolina												Attach	ment: 7	Exhi	bit: A	
												Svc Order Submitted			Incremental Charge -	Incremental Charge -	
											Elec		Manual Svc				
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR				Order vs.	Order vs.	
		m									per Lore	per Lore					
															Disc 1st	Disc Add'l	
						_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates(\$)			
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
																<u> </u>	
ODUF/ADUF/																	
ACCE	SS DAILY USAGE FILE (ADUF)																
	ADUF: Message Processing, per message				N/A	0.01435											
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001277											
OPTIO	ONAL DAILY USAGE FILE (ODUF)																
	ODUF: Recording, per message				N/A	0.0003											
	ODUF: Message Processing, per message				N/A	0.0032											
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	54.61											
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00004											
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															1	
	CMDS: Message Processing, per message N/A 0.004																
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001											
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															1	
	EODUF: Message Processing, per message				N/A	0.2285406			1							1	
Notes	: If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as r	egotiated by t	the Parties upo	n request by e	ither Partv.					1	

ODUF/ADUF/EODUF/CMDS - South Carolina Attachment: 7															bit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	EDUF/CMDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.008061										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00013036										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000216										
	ODUF: Message Processing, per message				N/A	0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010863										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message N/A 0.004															
	CMDS: Data Transmission (CONNECT:DIRECT), per message	N/A	0.001													
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)		<u> </u>													
	EODUF: Message Processing, per message				N/A	0.258301										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fur	nction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - Tennessee												Attachi	ment: 7	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						B	Nonrecurring		Nonrecurring	Disconnect			oss			
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000044										
	ODUF: Message Processing, per message				N/A	0.0027366										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	52.75										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000339										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A 0.004											
FAULA	CMDS: Data Transmission (CONNECT:DIRECT), per message		N/A	0.001												
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)		 		NI/A	0.004										
Neder	EODUF: Message Processing, per message	L	<u> </u>		N/A	0.004			<u> </u>		<u> </u>					
Notes:	If no rate is identified in the contract, the rate for the specific	service	or tur	iction will be as set	ortn in appli	cable BellSout	tn tariff or as ne	egotiated by the	ne Parties upor	request by e	tner Party.					

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

ATTACHMENT 9

PERFORMANCE MEASUREMENTS

PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission.

Attachment 10

BellSouth Disaster Recovery Plan

CON	TENT	<u>S</u>		PAGE
1.0	D			2
1.0	Purpo			2
2.0	_	e Point of		2
3.0	Identi	fying the	Problem	2
	3.1	Site Co	ontrol	3
	3.2	Enviro	nmental Concerns	4
4.0	The E	Emergency	y Control Center (ECC)	4
5.0	Reco	very Proc	edures	5
	5.1	CLEC (Outage	5
	5.2	BellSou	uth Outage	5
		5.2.1	Loss of Central Office	6
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
		5.2.3	Loss of a Central Office with Tandem Functions	6
		5.2.4	Loss of a Facility Hub	6
	5.3	Combin	ned Outage (CLEC and BellSouth Equipment)	7
6.0	T1 Id	entificatio	on Procedures	7
7.0	Acro	nvms		8

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently then normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Attachment 11

Bona Fide Request and New Business Requests Process

Version 1Q02: 02/20/02

BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- 1.0 The Parties agree that ALEC is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. ALEC also shall be permitted to request the development of new or revised facilities or service options, which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 11.
- 2.0 Bona Fide Requests ("BFR") are to be used when ALEC makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when ALEC makes a request of BellSouth to provide a new or custom capability or function to meet ALEC's business needs that was not previously included in the Agreement.
- 3.0 A BFR or a NBR shall be submitted in writing by ALEC and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include an ALEC's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to ALEC's Account Executive.
- 4.0 Within thirty (30) business days of its receipt of a BFR or NBR from ALEC, BellSouth shall respond to ALEC by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection or Network Element or is otherwise not required to be provided under the Act. However, if the preliminary analysis is determined to be of such complexity that it causes BellSouth to expend inordinate resources, a fee will be levied upon ALEC and collected prior to the beginning of the preliminary analysis and the thirty (30) business days will begin upon receipt of the fee. In addition to the preliminary analysis, an explanation of the fee will be provided.
- 5.0 ALEC may cancel a BFR or NBR at any time. If ALEC cancels the request more than three (3) business days after submitting it, ALEC shall

pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If ALEC does not cancel a BFR or NBR, ALEC shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.

- BellSouth shall propose a firm price quote and a detailed implementation plan for BFRs within thirty (30) business days of ALEC's acceptance of the preliminary analysis. BellSouth shall propose a firm price and a detailed implementation plan for NBRs within sixty (60) business days of ALEC's acceptance of the preliminary analysis.
- 7.0 If ALEC accepts the preliminary analysis, BellSouth shall proceed with ALEC's BFR or NBR, and ALEC agrees to pay the non-refundable amount identified in the preliminary analysis for the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR or NBR. These costs will be referred to as "development" costs. The development costs identified in the preliminary analysis are fixed. If ALEC cancels a BFR or NBR after BellSouth has received ALEC's acceptance of the preliminary analysis, ALEC agrees to pay BellSouth the reasonable, demonstrable, and actual costs, if any, directly related to complying with ALEC's BFR or NBR up to the date of cancellation, to the extent such costs were not included in the non-refundable amount set forth above.
- 8.0 If ALEC believes that BellSouth's firm price quote is not consistent with the requirements of the Act, ALEC may seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 9.0 Unless ALEC agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.
- 10.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.
- Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.